

MPRI

An algebraic approach for inferring and using symmetries in rule-based models

Jérôme Feret

DI - ÉNS




Wednesday, the 6th of November, 2018

Overview


1. Context and motivations
2. Case study
3. Kappa semantics
4. Symmetries in site-graphs
5. Symmetric models
6. Conclusion

Signalling Pathways



Eikuch, 2007

Bridging the gap between...




$$\begin{cases} \frac{dx_1}{dt} = -k_1 \cdot x_1 \cdot x_2 + k_{-1} \cdot x_3 \\ \frac{dx_2}{dt} = -k_1 \cdot x_1 \cdot x_2 + k_{-1} \cdot x_3 \\ \frac{dx_3}{dt} = k_1 \cdot x_1 \cdot x_2 - k_{-1} \cdot x_3 + 2 \cdot k_2 \cdot x_3 \cdot x_3 - k_{-2} \cdot x_4 \\ \frac{dx_4}{dt} = k_2 \cdot x_3^2 - k_2 \cdot x_4 + \frac{v_4 \cdot x_5}{p_4 + x_5} - k_3 \cdot x_4 - k_{-3} \cdot x_5 \\ \frac{dx_5}{dt} = \dots \\ \vdots \\ \frac{dx_n}{dt} = -k_1 \cdot x_1 \cdot c_2 + k_{-1} \cdot x_3 \end{cases}$$

knowledge
representation

and




models of the
behaviour of
systems

Site-graphs rewriting



- a language close to knowledge representation;
- rules are easy to update;
- a compact description of models.


Choices of semantics




$$\begin{cases} \frac{dx_1}{dt} = -k_1 \cdot x_1 \cdot x_2 + k_{-1} \cdot x_3 \\ \frac{dx_2}{dt} = -k_1 \cdot x_1 \cdot x_2 + k_{-1} \cdot x_3 \\ \frac{dx_3}{dt} = k_1 \cdot x_1 \cdot x_2 - k_{-1} \cdot x_3 + 2 \cdot k_2 \cdot x_3 \cdot x_3 - k_{-2} \cdot x_4 \\ \frac{dx_4}{dt} = k_2 \cdot x_3^2 - k_2 \cdot x_4 + \frac{v_4 \cdot x_5}{p_4 + x_5} - k_3 \cdot x_4 - k_{-3} \cdot x_5 \\ \frac{dx_5}{dt} = \dots \\ \vdots \\ \frac{dx_n}{dt} = -k_1 \cdot x_1 \cdot x_2 + k_{-1} \cdot x_3 \end{cases}$$

ordinary differential equations


Complexity walls




Abstractions offer different perspectives on models




concrete semantics



causal traces




information flow




exact projection of the ODE semantics

Symmetric sites

- in BNGL or MetaKappa (multiple-occurrences of sites):




- in Formal Cellular Machinery or React(C) (hyper-edges):




Blinov *et al.*, BioNetGen: software for rule-based modeling of signal transduction based on the interactions of molecular domains, Bioinformatics 2004
Danos *et al.*, Rule-Based Modelling and Model Perturbation, TCSB 2009
Damgaard *et al.*, Formal cellular machinery, Damgaard *et al.*, SASB 2011
John *et al.*, Biochemical Reaction Rules with Constraints, ESOP 2011


Other kinds of symmetries: Circular permutations




Other kinds of symmetries: Circular permutations




Other kinds of symmetries: Circular permutations







Other kinds of symmetries: Circular permutations



Other kinds of symmetries: Circular permutations




Other kinds of symmetries: Circular permutations




Other kinds of symmetries: Homogeneous symmetries

We can compute a horizontal reflection.




Other kinds of symmetries: Homogeneous symmetries

We can compute a horizontal reflection.




Other kinds of symmetries: Homogeneous symmetries

We can compute a horizontal reflection.




Other kinds of symmetries: Homogeneous symmetries

We can compute a vertical reflection.




Other kinds of symmetries: Homogeneous symmetries

We can compute a vertical reflection.




Other kinds of symmetries: Homogeneous symmetries

We can compute a vertical reflection.




Other kinds of symmetries: Homogeneous symmetries

We can compute both reflections.




Other kinds of symmetries: Homogeneous symmetries

We can compute both reflections.




Other kinds of symmetries: Homogeneous symmetries

We can compute both reflections.




Other kinds of symmetries: Homogeneous symmetries

But we cannot apply different permutations!!!.




Other kinds of symmetries: Homogeneous symmetries

But we cannot apply different permutations!!!.





Other kinds of symmetries: Homogeneous symmetries

But we cannot apply different permutations!!!.




Other kinds of symmetries: Homogeneous symmetries





Overview

1. Context and motivations
2. **Case study**
 - (a) Symetric model with symmetric initial state
 - (b) Symmetric model with non-symmetric initial state
 - (c) Non-symmetric model
3. Kappa semantics
4. Symmetries in site-graphs
5. Symmetric models
6. Conclusion

Case study




State distribution



with:
$$\begin{cases} k_{\cdot,\cdot} = k_{\cdot,\cdot} = 1 \\ k_{\cdot,\cdot} = k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = 2 \\ P(q_0 | t = 0) = 1 \end{cases}$$

Lumpability




Whenever:






$$\begin{cases} 2k_{.,.} = 2k_{.,.} = k_{.,.} \\ k_{.,.}^d = k_{.,.}^d = k_{.,.}^d \end{cases}$$

We can lump the system.

Lumped system









Macrostate distribution



with:
$$\begin{cases} k_{\bullet,\bullet} = 1 \\ k_{\bullet,\bullet}^d = 2 \\ P(q_0 | t = 0) = 1 \end{cases}$$

Probability ratios




with:
$$\begin{cases} k_{\cdot,\cdot} = k_{\cdot,\cdot} = 1 \\ k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = 2 \\ \mathcal{P}(q_0 | t = 0) = 1 \end{cases}$$



Overview

1. Context and motivations
2. **Case study**
 - (a) Symetric model with symmetric initial state
 - (b) **Symmetric model with non-symmetric initial state**
 - (c) Non-symmetric model
3. Kappa semantics
4. Symmetries in site-graphs
5. Symmetric models
6. Conclusion

Model




State distribution



with:
$$\begin{cases} k_{\cdot,\cdot} = k_{\cdot,\cdot} = 1 \\ k_{\cdot,\cdot} = k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = 2 \\ P(q_3 | t = 0) = 1 \end{cases}$$

Lumpability




Whenever:






$$\begin{cases} 2k_{\cdot, \cdot} = 2k_{\cdot, \cdot} = k_{\cdot, \cdot} \\ k_{\cdot, \cdot}^d = k_{\cdot, \cdot}^d = k_{\cdot, \cdot}^d \end{cases}$$

We can lump the system.







Lumped system



Macrostate distribution



Probability ratios (wrong initial condition)




with:
$$\begin{cases} k_{\cdot,\cdot} = k_{\cdot,\cdot} = 1 \\ k_{\cdot,\cdot} = k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = k_{\cdot,\cdot}^d = 2 \\ \mathcal{P}(q_4 | t = 0) = 1 \end{cases}$$


Overview

1. Context and motivations
2. **Case study**
 - (a) Symetric model with symmetric initial state
 - (b) Symmetric model with non-symmetric initial state
 - (c) **Non-symmetric model**
3. Kappa semantics
4. Symmetries in site-graphs
5. Symmetric models
6. Conclusion


Model



State distribution




State distribution VS Time



with: $\left\{ \begin{array}{l} k_{\cdot, \cdot} = k_{\cdot, \cdot} = k_{\cdot, \cdot} = 1 \\ k_{\cdot, \cdot}^d = k_{\cdot, \cdot}^d = 2 \\ k_{\cdot, \cdot}^d = 4 \\ P(q_0 | t = 0) = 1 \end{array} \right.$

Lumpability



In general, when the following system:

$$\begin{cases} 2k_{\cdot, \cdot} = 2k_{\cdot, \cdot} = k_{\cdot, \cdot} \\ k_{\cdot, \cdot}^d = k_{\cdot, \cdot}^d = k_{\cdot, \cdot}^d \end{cases}$$

is not satisfied, we cannot lump the system.

Probability ratios (wrong coefficients)

$$q_1 : \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 4 \quad \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 1$$


$$q_2 : \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 4 \quad \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 1$$

$$q_3 : \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 4 \quad \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 1$$

$$q_4 : \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 2 \quad \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 2$$

$$q_5 : \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 2 \quad \left[\begin{array}{c} \text{blue dot} \\ \text{red dot} \end{array} \right] \times 2$$

Probability ratios VS Time



with:

$$\begin{cases} k_{\bullet,\bullet} = k_{\bullet,\bullet} = k_{\bullet,\bullet} = 1 \\ k_{\bullet,\bullet}^d = k_{\bullet,\bullet}^d = 2 \\ k_{\bullet,\bullet}^d = 4 \\ P(q_0 | t = 0) = 1 \end{cases}$$

In this talk

An algebraic notion of symmetries over site graphs:

- compatible with the SPO (Single Push-Out) semantics of Kappa;
- with a notion of subgroups of symmetries;
- with a notion of symmetric models.

Some conditions so that symmetries over a model induce


- a forward bisimulation;
- a backward bisimulation.

In this talk, we consider only a side-effect free fragment of Kappa.
The full language is handled with in, the paper.


Overview

1. Context and motivations
2. Case study
3. **Kappa semantics**
4. Symmetries in site-graphs
5. Symmetric models
6. Conclusion


Signature




Site graphs







Embeddings




Embeddings




Composition of embeddings





Composition of embeddings




Composition of embeddings





Identity embeddings




Identity embeddings




Isomorphisms



Isomorphisms




Fully specified site graphs




Isomorphic embeddings

When the following diagram:




commutes, we say that the embeddings f and g are isomorphic, and we write $f \approx g$.


Partial embeddings




Composition of partial embeddings




Composition of partial embeddings




Composition of partial embeddings




Composition of partial embeddings




Composition of partial embeddings



Composition of partial embeddings




Rules




A rule is a partial embedding such that:

- the domain (D) is maximal;
- some constraints that we omit here are satisfied.

Rule application




Rule applications




Refinement




Refinement



Refinement




Refinement




Semantics

1. A model is a map k from rules to non negative real numbers;
2. $\mathcal{Q} \triangleq \{[G]_{\approx} \mid G \text{ fully specified site graph}\};$
3. $\mathcal{L} \triangleq \left\{ (r, [f]_{\approx}) \mid \begin{array}{l} r \text{ a rule, } f \text{ an embedding from } lhs(r) \\ \text{to a fully specified site graph} \end{array} \right\};$
4. $[M]_{\approx} \xrightarrow{(r, [f]_{\approx})} [M']_{\approx}$ if and only if:



Semantics

1. A model is a map k from rules to non negative real numbers;
2. $\mathcal{Q} \triangleq \{[G]_{\approx} \mid G \text{ fully specified site graph}\};$
3. $\mathcal{L} \triangleq \left\{ (r, [f]_{\approx}) \mid \begin{array}{l} r \text{ a rule, } f \text{ an embedding from } lhs(r) \\ \text{to a fully specified site graph} \end{array} \right\};$
4. $[M]_{\approx} \xrightarrow{(r, [f]_{\approx})} [M']_{\approx}$ if and only if:





The rate of such a transition is defined as:

$$\frac{\gamma(r) \text{card}(\{\phi f \mid \phi \in \text{Aut}(im(f))\})}{\text{card}(\text{Aut}(lhs(r)))}.$$

Applying transformations over push-outs

We would like to make pairs of transformations act over push-outs,







whenever they act the same way on preserved agents.

Overview

1. Context and motivations
2. Case study
3. Kappa semantics
4. **Symmetries in site-graphs**
 - (a) Groups of transformations
 - (b) Action of the transformations
5. Symmetric models
6. Conclusion


Transformations over site graphs

- For any site graph G , we introduce a finite group of transformations \mathbb{G}_G .




- For any site graph G and any transformation $\sigma \in \mathbb{G}_G$, we introduce the site graph $\sigma.G$ and we call it the image of G by σ .
- We assume that \mathbb{G}_G and $\mathbb{G}_{(\sigma.G)}$ are the same group.


Restricting a transformation to the domain of an embedding




Restricting a transformation to the domain of an embedding



Restricting a transformation to the domain of an embedding



Restricting a transformation to the domain of an embedding




Restriction of symmetry to the domain of an embedding

$$\begin{array}{ccc} G & \xrightarrow{f} & H \\ & & \downarrow \sigma \\ & & \sigma.H \end{array}$$

Restriction of symmetry to the domain of an embedding

$$\begin{array}{ccc} G & \xrightarrow{f} & H \\ \text{\scriptsize } f.\sigma \downarrow \text{\scriptsize } \Downarrow & & \text{\scriptsize } \sigma \downarrow \text{\scriptsize } \Downarrow \\ (f.\sigma).G & \xrightarrow{\sigma.f} & \sigma.H \end{array}$$

Identity function

$$E \xrightarrow{i_E} E$$


The diagram shows a horizontal arrow from the left 'E' to the right 'E' with the label i_E above it. A vertical wavy arrow points downwards from the right 'E' to a σ symbol.

Identity function

$$E \xrightarrow{i_E} E$$

$$\downarrow \sigma$$

$$\sigma.E$$

Identity function

$$\begin{array}{ccc} E & \xrightarrow{i_E} & E \\ \begin{array}{c} \text{\scriptsize } i_E \cdot \sigma \\ \downarrow \end{array} & & \begin{array}{c} \downarrow \sigma \end{array} \\ (i_E \cdot \sigma) \cdot E & \xrightarrow{\sigma \cdot i_E} & \sigma \cdot E \end{array}$$

Identity function

$$\begin{array}{ccc}
 E & \xrightarrow{i_E} & E \\
 \left. \begin{array}{c} i_E \cdot \sigma \\ \sigma \end{array} \right\} & & \sigma \\
 \downarrow & & \downarrow \\
 (i_E \cdot \sigma) \cdot E & \begin{array}{c} \xrightarrow{i_{(\sigma \cdot E)}} \\ \xleftarrow{\sigma \cdot i_E} \end{array} & \sigma \cdot E
 \end{array}$$


Identity function

$$\begin{array}{ccc} E & \xrightarrow{i_E} & E \\ \begin{array}{c} \left. \begin{array}{l} i_E \cdot \sigma \\ \sigma \end{array} \right\} \\ \downarrow \end{array} & & \downarrow \sigma \\ (i_E \cdot \sigma) \cdot E & \begin{array}{c} \xrightarrow{i_{(\sigma \cdot E)}} \\ \xrightarrow{\sigma \cdot i_E} \end{array} & \sigma \cdot E \end{array}$$

We assume that:

- $i_E \cdot \sigma = \sigma$
- $\sigma \cdot i_E = i_{(\sigma \cdot E)}$

Identity symmetry



Identity symmetry

$$E \hookrightarrow \xrightarrow{f} F$$

$$\varepsilon_F$$

$$\varepsilon_F \cdot F$$

Identity symmetry

$$\begin{array}{ccc} E & \xrightarrow{f} & F \\ \left. \begin{array}{c} f \cdot \varepsilon_F \\ \downarrow \end{array} \right\} & & \left. \begin{array}{c} \varepsilon_F \\ \downarrow \end{array} \right\} \\ (f \cdot \varepsilon_F) \cdot E & \xrightarrow{\varepsilon_F \cdot f} & \varepsilon_F \cdot F \end{array}$$

Identity symmetry

$$E \hookrightarrow F \xrightarrow{f}$$

$$\begin{array}{ccc} & \left. \begin{array}{l} \text{f} \cdot \varepsilon_F \\ \varepsilon_E \end{array} \right\} & \\ & \left. \begin{array}{l} \varepsilon_F \end{array} \right\} & \end{array}$$

$$E = (f \cdot \varepsilon_F) \cdot E \xrightarrow{\quad f \quad} \varepsilon_F \cdot F = F$$

$$\xrightarrow{\quad \varepsilon_F \cdot f \quad}$$


Identity symmetry

$$\begin{array}{ccc}
 E & \xrightarrow{f} & F \\
 \left. \begin{array}{c} \text{f} \cdot \varepsilon_F \\ \varepsilon_E \end{array} \right\} & & \left. \varepsilon_F \right\} \\
 \downarrow & & \downarrow \\
 E = (\text{f} \cdot \varepsilon_F) \cdot E & \begin{array}{c} \xrightarrow{\text{f}} \\ \xleftarrow{\varepsilon_F \cdot \text{f}} \end{array} & \varepsilon_F \cdot F = F
 \end{array}$$


We assume that:

- $\varepsilon_F \cdot F = F$
- $\text{f} \cdot \varepsilon_F = \varepsilon_E$
- $\varepsilon_F \cdot \text{f} = \text{f}$


Composition of embeddings




Composition of embeddings




Composition of embeddings




Composition of embeddings



Composition of embeddings




Composition of embeddings




We assume that:

- $(gf).\sigma = f.(g.\sigma)$
- $\sigma.(gf) = (\sigma.g)((g.\sigma).f)$


Product of transformations




Product of transformations




Product of transformations



Product of transformations



Product of transformations



We assume that:

- $(\sigma' \circ \sigma).F = \sigma'.(\sigma.F)$
- $f.(\sigma' \circ \sigma) = ((f.\sigma).\sigma') \circ (f.\sigma)$
- $(\sigma' \circ \sigma).f = \sigma'.(\sigma.f)$

Images of fully specified site graphs

We assume that for any site graph G and any transformation $\sigma \in \mathbb{G}_G$ the two following assertions are equivalent:

1. G is fully specified;
2. $\sigma.G$ is fully specified.

Images of partial embeddings

For any partial embedding $\phi : L \overset{f}{\hookrightarrow} D \overset{g}{\hookrightarrow} R$,
We assume that:

- if

$$\begin{cases} f \cdot \sigma_L = g \cdot \sigma_R \\ f \cdot \sigma'_L = g \cdot \sigma'_R \end{cases}$$

- then

$$f \cdot (\sigma_L \circ \sigma'_L) = g \cdot (\sigma_R \circ \sigma'_R),$$

for any $\sigma_L, \sigma'_L \in \mathbb{G}_L$, $\sigma_R, \sigma'_R \in \mathbb{G}_R$,

We consider:

$$\mathbb{G}_\phi \stackrel{\Delta}{=} \{(\sigma_L, \sigma_R) \in \mathbb{G}_L \times \mathbb{G}_R \mid f \cdot \sigma_L = g \cdot \sigma_R\}.$$

Images of rules

We assume that for any partial embedding $\phi : L \xleftarrow{f} D \xrightarrow{g} R$ and any (pair of) transformation(s) $(\sigma_L, \sigma_R) \in \mathbb{G}_\phi$ the two following assertions are equivalent:

1. ϕ is a rule;
2. $\sigma_L.L \xleftarrow{\sigma_L.f} (f.\sigma_L).D \xrightarrow{\sigma_R.g} \sigma_R.R$ is a rule.

Images of push-outs

Theorem 1 Let r be a rule, and $(\sigma_L, \sigma_R) \in \mathbb{G}_r$ be a pair of transformations. If the following diagram:

$$\begin{array}{ccc}
 L' & \xrightarrow{r} & R' \\
 h_L \uparrow & & \downarrow h_R \\
 L & \xrightarrow{r'} & R
 \end{array}$$

is a push-out, then the following diagram:

$$\begin{array}{ccc}
 \sigma_L.L' & \xrightarrow{(\sigma_L, \sigma_R).r} & \sigma_R.R' \\
 \sigma_L.h_L \uparrow & & \downarrow \sigma_R.h_R \\
 (h_L.\sigma_L).L & \xrightarrow{(h_L.\sigma_L, h_R.\sigma_R).r'} & (h_R.\sigma_R).R
 \end{array}$$

is a push-out as well.

Subgroups of transformations





Theorem 2

If, for any embedding h between two site graphs G and H :





- we have a subset \mathbb{G}'_G of \mathbb{G}_G ;
- for any transformation $\sigma \in \mathbb{G}'_G$, $\mathbb{G}'_G = \mathbb{G}'_{(\sigma.G)}$;
- for any two σ, σ' transformations in \mathbb{G}'_G , $\sigma \circ \sigma' \in \mathbb{G}'_G$;
- for any transformation $\sigma \in \mathbb{G}'_H$, $h.\sigma \in \mathbb{G}'_G$;

then the groups (\mathbb{G}'_G) define a set of transformations.

Example: Heterogeneous site permutations



Example: Homogeneous site permutations



Overview

1. Context and motivations
2. Case study
3. Kappa semantics
4. **Symmetries in site-graphs**
 - (a) Groups of transformations
 - (b) **Action of the transformations**
5. Symmetric models
6. Conclusion

Group actions over site graphs

Let G, G' be two site graphs.

We write $G \approx_{\mathbb{G}} G'$ if and only if there exists $\sigma \in \mathbb{G}_{\mathbb{G}}$ such that $G' = \sigma.G$.

The function:

$$\begin{cases} \mathbb{G}_{\mathbb{G}} \times [G]_{\approx_{\mathbb{G}}} & \rightarrow [G]_{\approx_{\mathbb{G}}} \\ (\sigma, G) & \mapsto \sigma.G \end{cases}$$

is a group action.

That is to say:

- $\varepsilon.G = G$;
- $\sigma'.(\sigma.G) = (\sigma' \circ \sigma).G$.

Group actions over embeddings

Let f, f' be two embeddings.

We write $f \approx_{\mathbb{G}} f'$ if and only if there exists $\sigma \in \mathbb{G}_{\text{IM}(f)}$ such that $f' = \sigma.f$.

The function:

$$\begin{cases} \mathbb{G}_{\text{IM}(f)} \times [f]_{\approx_{\mathbb{G}}} & \rightarrow [f]_{\approx_{\mathbb{G}}} \\ (\sigma, f) & \mapsto \sigma.f \end{cases}$$

is a group action.


Compatible embeddings

An embedding f between two site graphs G and H is said compatible if and only if:

$$\mathbb{G}_G = \{f \cdot \sigma \mid \sigma \in \mathbb{G}_H\}$$

(that is to say that any transformation that can be applied to the domain of f can be extended to the image of f).

This property is not preserved by subgroups of transformations:



Heterogeneous permutations

Homogeneous permutations


Compatible embeddings

An embedding f between two site graphs G and H is said compatible if and only if:

$$\mathbb{G}_G = \{f \cdot \sigma \mid \sigma \in \mathbb{G}_H\}$$

(that is to say that any transformation that can be applied to the domain of f can be extended to the image of f).

This property is not preserved by subgroups of transformations:




Heterogeneous permutations

Homogeneous permutations

Decomposition of transformations along an embedding

When f is an embedding between two site graphs G and H , we have:


$$\mathbb{G}_H \approx \{\sigma \in \mathbb{G}_H \mid f.\sigma = \varepsilon_G\} \times \{h.\sigma \mid \sigma \in \mathbb{G}_H\}.$$



Decomposition of transformations along an embedding

When f is an embedding between two site graphs G and H , we have:


$$\mathbb{G}_H \approx \{\sigma \in \mathbb{G}_H \mid f.\sigma = \varepsilon_G\} \times \{h.\sigma \mid \sigma \in \mathbb{G}_H\}.$$



Decomposition of transformations along an embedding

When f is an embedding between two site graphs G and H , we have:

$$\mathbb{G}_H \approx \{\sigma \in \mathbb{G}_H \mid f.\sigma = \varepsilon_G\} \times \{h.\sigma \mid \sigma \in \mathbb{G}_H\}.$$



Images of isomorphisms

The image of an isomorphism is an isomorphism.

$$\begin{array}{ccc}
 \sigma_F.F & \xrightarrow{i_{\sigma_F.F}} & \sigma_F.F \\
 \searrow^{(f.\sigma_F).(f^{-1})} & & \nearrow^{\sigma_F.f} \\
 & (f.\sigma_F).E &
 \end{array}$$

The image of an automorphism may be not an automorphism.

Yet, for any site graph G , we have:

$$\text{Card}(G) = \text{Card}(\{\phi \mid \phi \in \text{Aut}(G)\}) \times \text{Card}(\{G' \mid G' \approx G \text{ and } G' \approx_G G\}).$$

Group actions over rules

Let $r : L \xleftarrow{f} D \xrightarrow{g} R$ be a rule.

We define the symmetric of r by a symmetry $(\sigma_L, \sigma_R) \in \mathbb{G}_r$ as follows:

$$(\sigma_L, \sigma_R).r \stackrel{\Delta}{=} \sigma_L.L \xleftarrow{\sigma_L.f} (f.\sigma_L).D \xrightarrow{\sigma_R.g} \sigma_R.R$$

We write $r \approx_{\mathbb{G}} r'$ if and only if there exists $\sigma \in \mathbb{G}_r$ such that $r' = \sigma.r$.


Then:

- \mathbb{G}_r is a group.
- the groups \mathbb{G}_r and $\mathbb{G}_{\sigma.r}$ are the same, for any symmetry $\sigma \in \mathbb{G}_r$.
- The function:


$$\begin{cases} \mathbb{G}_r \times [r]_{\approx_{\mathbb{G}}} & \rightarrow [r]_{\approx_{\mathbb{G}}} \\ (\sigma, r) & \mapsto \sigma.r. \end{cases}$$

is a group action.

Decomposition of the group of transformations over a rule




Decomposition of the group of transformations over a rule




Some transformations operate on the domain of the rule.

Decomposition of the group of transformations over a rule




Decomposition of the group of transformations over a rule




Some transformations operate on degraded agents.

Decomposition of the group of transformations over a rule



Decomposition of the group of transformations over a rule



Some transformations operate on created agents.

Decomposition of the group of transformations over a rule

When $r : L \xleftarrow{f} D \xrightarrow{g} R$ is a rule,
we have:

$$\mathbb{G}_r \approx \{\sigma \in \mathbb{G}_L \mid f.\sigma = \varepsilon_D\} \times \{\sigma \mid \exists(\sigma_L, \sigma_R) \in \mathbb{G}_r, \sigma = f.\sigma_L = f.\sigma_R\} \times \{\sigma \in \mathbb{G}_R \mid g.\sigma = \varepsilon_D\}.$$

Symmetries distribute over:

1. the ones on removed agents;
2. the ones on new agents;
3. the ones on the domain which are compatible with rule.

Group actions over push-out

Theorem 3 Let r be a rule. The function which maps each pair of transformations $(\sigma_L, \sigma_R) \in \mathbb{G}_r$ and each push-out of the form:

$$\begin{array}{ccc}
 L' & \xrightarrow{r'} & R' \\
 \uparrow h_L & & \downarrow h_R \\
 L & \xrightarrow{r''} & R
 \end{array}$$

with $r' \approx_{\mathbb{G}} r$, to the push-out:


$$\begin{array}{ccc}
 \sigma_L \cdot L' & \xrightarrow{(\sigma_L, \sigma_R) \cdot r'} & \sigma_R \cdot R' \\
 \uparrow \sigma_L \cdot h_L & & \downarrow \sigma_R \cdot h_R \\
 (h_L \cdot \sigma_L) \cdot L & \xrightarrow{(h_L \cdot \sigma_L, h_R \cdot \sigma_R) \cdot r''} & (h_R \cdot \sigma_R) \cdot R
 \end{array}$$

is a group action.


Overview

1. Context and motivations
2. Case study
3. Kappa semantics
4. Symmetries in site-graphs
5. **Symmetric models**
 - (a) Symmetries among set of rules
 - (b) Induced bisimulations
6. Conclusion

Isomorphic rules



Isomorphic rules



Symmetric model


We assume that the model contains at most one rule per isomorphism class.

A model is \mathbb{G} -symmetric if and only if:

- for any rule r in the model and any pair of symmetries $\sigma \in \mathbb{G}_r$, there is (unique) a rule r' in the model that is isomorphic to the rule $\sigma.r$.
- and, with the same notations, we have $g(r) = g(r')$ where:


$$g(r) \stackrel{\Delta}{=} \frac{k(r)}{\text{card}(\{\sigma \in \mathbb{G}_r \mid \sigma.r \approx r\}) \text{card}(\text{Aut}(\text{lhs}(r)))}$$

Binding rules



$$\frac{k_{\cdot, \cdot}}{1 \cdot 2} = \frac{k_{\cdot, \cdot}}{1 \cdot 2} = \frac{k_{\cdot, \cdot}}{2 \cdot 2}$$

Unbinding rules



$$\frac{k_{\bullet, \bullet}^d}{1 \cdot 2} = \frac{k_{\bullet, \bullet}^d}{1 \cdot 2} = \frac{k_{\bullet, \bullet}^d}{2 \cdot 1}$$

Overview

1. Context and motivations
2. Case study
3. Kappa semantics
4. Symmetries in site-graphs
5. **Symmetric models**
 - (a) Symmetries among set of rules
 - (b) **Induced bisimulations**
6. Conclusion


Compatible embeddings (reminders)

An embedding f between two site graphs G and H is said compatible if and only if:

$$\mathbb{G}_G = \{f \cdot \sigma \mid \sigma \in \mathbb{G}_H\}$$

(that is to say that any transformation that can be applied to the domain of f can be extended to the image of f).

This property is not preserved by subgroups of transformations:



Heterogeneous permutations

Homogeneous permutations


Compatible embeddings (reminders)

An embedding f between two site graphs G and H is said compatible if and only if:

$$\mathbb{G}_G = \{f \cdot \sigma \mid \sigma \in \mathbb{G}_H\}$$

(that is to say that any transformation that can be applied to the domain of f can be extended to the image of f).

This property is not preserved by subgroups of transformations:




Heterogeneous permutations

Homogeneous permutations


Compatible rules

We say that a rule r is forward-compatible if and only if, for any push-out of the following form:



the embedding g is compatible.

We say that a rule r is backward-compatible if and only if, for any push-out of the following form:



the embedding f is compatible.


Lumping states

We say that two states $q, q' \in \mathcal{Q}$ are isomorphic if and only if there exist $M \in q$ and $M' \in q'$ such that $M \approx_{\mathbb{G}} M'$.

In such a case, we write $q \approx_{\mathbb{G}} q'$.
 $\approx_{\mathbb{G}}$ is an equivalence relation.

Lumping the transtion labels

We say that two labels $(r, C) \in \mathcal{L}$ and $(r', C') \in \mathcal{L}$ are isomorphic if and only if there exist an embedding $f \in C$, an embedding $f' \in C'$, a pair of symmetries $(\sigma_{L'}, \sigma_R) \in \mathbb{G}_{\text{IM}(f)} \times \mathbb{G}_{\text{rhs}(r)}$ such that $(f.'\sigma_{L'}, \sigma_R) \in \mathbb{G}_r$ and two isomorphisms ϕ and ψ such that the following diagram commutes:



In such a case, we write $(r, C) \approx_{\mathbb{G}} (r', C')$ (this is also an equivalence relation).

Weighted flow

Let $X, X' \subseteq \mathcal{Q}$ and $Y \subseteq \mathcal{L}$.

Let ω be a function from \mathcal{Q} to \mathbb{R}^+ .

We define the flow from X to X' via Y , weighted by the reward function ω by:

$$\text{FLOW}_{\omega}(X, Y, X') \triangleq \sum_{q \in X, q' \in X', \lambda \in Y, q \xrightarrow{\lambda} q'} \omega(q) \text{RATE}(\lambda)$$

Forward bisimulation

Theorem 4 Let $q, q', q'' \in \mathcal{Q}$ such that $q \approx_{\mathbb{G}} q'$. Let $\lambda \in \mathcal{L}$. If the model is symmetric and if the rules of the models are forward-compatible, then the following equality holds:

$$\text{FLOW}_{\omega} \left(\{q\}, [\lambda]_{\approx_{\mathbb{G}}}, [q'']_{\approx_{\mathbb{G}}} \right) = \text{FLOW}_{\omega} \left(\{q'\}, [\lambda]_{\approx_{\mathbb{G}}}, [q'']_{\approx_{\mathbb{G}}} \right),$$

with $\omega(q_1) = 1$ for any $q_1 \in \mathcal{Q}$.

Backward bisimulation (DTMC)

Theorem 5 Let $q, q', q'' \in \mathcal{Q}$ such that $q' \approx_{\mathbb{G}} q''$. Let $\lambda \in \mathcal{L}$.

If the model is symmetric and if the rules of the models are backward-compatible, then the following equality holds:

$$\omega(q'') \text{FLOW}_{\omega} \left([q]_{\approx_{\mathbb{G}}}, [\lambda]_{\approx_{\mathbb{G}}}, \{q'\} \right) = \omega(q') \text{FLOW}_{\omega} \left([q]_{\approx_{\mathbb{G}}}, [\lambda]_{\approx_{\mathbb{G}}}, \{q''\} \right),$$

with $\omega(q_1) \triangleq \frac{1}{\text{card}(\text{Aut}(q))}$, for any $q_1 \in \mathcal{Q}$.

Backward bisimulation (CTMC)

Theorem 6 Let $q, q', q'' \in \mathcal{Q}$ such that $q' \approx_{\mathbb{G}} q''$. Let $\lambda \in \mathcal{L}$.

If the model is symmetric and if the rules of the models are both forward- and backward-compatible,

then the following equalities holds:

1. $\text{FLOW}_{\omega}(\{q'\}, \mathcal{Q}, \mathcal{L}) = \text{FLOW}_{\omega}(\{q''\}, \mathcal{Q}, \mathcal{L})$,
with $\omega(q_1) = 1$ for any $q_1 \in \mathcal{Q}$;

2. $\omega(q'') \text{FLOW}_{\omega}([q]_{\approx_{\mathbb{G}}}, [\lambda]_{\approx_{\mathbb{G}}}, \{q'\}) = \omega(q') \text{FLOW}_{\omega}([q]_{\approx_{\mathbb{G}}}, [\lambda]_{\approx_{\mathbb{G}}}, \{q''\})$,

with $\omega(q_1) \stackrel{\Delta}{=} \frac{1}{\text{card}(\text{Aut}(q))}$, for any $q_1 \in \mathcal{Q}$.

Overview

1. Context and motivations
2. Case study
3. Kappa semantics
4. Symmetries in site-graphs
5. Symmetric models
6. **Conclusion**

Conclusion

A fully algebraic framework to infer and use symmetries in Kappa;

- Compatible with the SPO semantics (see [\[FSTTCS'2012\]](#));
- Can handle side-effects (see the paper);
- Induces forward and/or back and forth bisimulations;
- Can be applied to discover model reductions for the qualitative semantics, the ODEs semantics, and the stochastic semantics [\[MFPSXXVII\]](#);
- Can be combined with other exact model reductions [\[MFPSXXVI\]](#).

This framework is cleaner and more general than the process algebra based one [\[MFPSXXVII\]](#).

[Camporesi et al.](#), Combining model reductions. MFPS XXVI (2010)

[Camporesi et al.](#), Formal reduction of rule-based models, MFPS XXVII (2011)

[Danos et al.](#), Rewriting and Pathway Reconstruction for Rule-Based Models, FSTTCS 2012

Future work

- Investigate which specific classes of symmetries and which specific classes of rules ensure that rules are forward and/or backward compatible with the symmetries;
- Check the compatibility with the DPO (Double Push-Out) semantics;
- Design approximate symmetries using bisimulation metrics (ask Norman Ferns).



“AbstractCell”
(2009-2013)



“Big Mechanism” (2014-2017)
“CwC” (2015-2018)



“TGF β SysBio”
(2015-2018)