

(Non-Relational)

Numerical Abstract Domains

MPRI 2–6: Abstract Interpretation,
application to verification and static analysis

Antoine Miné

CNRS, École normale supérieure

course 2, 2012–2013

Outline

- Some **applications** of numerical domains
- Generalities, notations
- Presentation of a few **numerical abstract domains** (non-relational)
 - sign domains
 - constant domain
 - interval domain
 - simple congruence domains
- Bibliography

Selected applications of numerical domains

Invariant discovery

Goal: find **intermittent** numerical **invariants**

(i.e. at each program point, properties of numerical variables true for all executions)

Example

```
X:=[0,10]; Y:=100;  
  
while X>=0 do  
    // loop invariant?  
    X:=X-1;  
  
    Y:=Y+10  
  
done  
// value of X and Y?
```

Invariant discovery

Goal: find **intermittent** numerical **invariants**

(i.e. at each program point, properties of numerical variables true for all executions)

Example

```
X:=[0,10]; Y:=100;  
    // X ∈ [0, 10], Y = 100  
while X>=0 do  
    // X ∈ [0, 10], Y ∈ [100, 200]  
    X:=X-1;  
    // X ∈ [-1, 9], Y ∈ [100, 200]  
    Y:=Y+10  
    // X ∈ [-1, 9], Y ∈ [110, 210]  
done  
// X = -1, Y ∈ [110, 210]
```

Variable bounds

Invariant discovery

Hope: find **the strongest** intermittent numerical **invariants**

(i.e. at each program point, **the strongest** properties of numerical variables true for all executions)

Example

```
X:=[0,10]; Y:=100;  
    // X ∈ [0, 10], Y = 100  
while X>=0 do  
    // X ∈ [0, 10], 10X + Y ∈ [100, 200] ∩ 10Z  
    X:=X-1;  
    // X ∈ [-1, 9], 10X + Y ∈ [90, 190] ∩ 10Z  
    Y:=Y+10  
    // X ∈ [-1, 9], 10X + Y ∈ [100, 200] ∩ 10Z  
done  
// X = -1, Y ∈ [110, 210] ∩ 10Z
```

Variable bounds, linear relations and congruences

Application: proof of absence of run-time error

delay line, in C

```
int delay[10], i;
for (i=10; i>0; i=i-1)
    delay[i-1] = 0;
while (1) {
    int y = delay[i];
    delay[i] = input();
    i = i+1;
    if (i>=10) i = 0;
    /* use y */
}
```

Some operations are **undefined** or dangerous:

- arithmetic operations can overflow
- arrays can be accessed out of bounds

Application: proof of absence of run-time error

delay line, in C

```
int delay[10], i;
for (i=10; i>0;  $\langle i - 1 \in [-2^{31}, 2^{31} - 1] \rangle$  i=i-1)
     $\langle i - 1 \in [0, 9] \rangle$  delay[i-1] = 0;
while (1) {
    int y =  $\langle i \in [0, 9] \rangle$  delay[i];
     $\langle i \in [0, 9] \rangle$  delay[i] = input();
     $\langle i + 1 \in [-2^{31}, 2^{31} - 1] \rangle$  i = i+1;
    if (i>=10) i = 0;
    /* use y */
}
```

To prove the absence of run-time error:

- insert **verification conditions** $\langle \cdot \rangle$ ensuring error-freedom

Application: proof of absence of run-time error

delay line, in C

```
int delay[10], i;
for (i=10; i>0; (i ∈ [1, 10]) <i - 1 ∈ [-231, 231 - 1]> i=i-1)
    (i ∈ [1, 10]) <i - 1 ∈ [0, 9]> delay[i-1] = 0;
(i = 0) while (1) {
    int y = (i ∈ [0, 9]) <i ∈ [0, 9]> delay[i];
    (i ∈ [0, 9]) <i ∈ [0, 9]> delay[i] = input();
    (i ∈ [0, 9]) <i + 1 ∈ [-231, 231 - 1]> i = i+1;
    (i ∈ [1, 10]) if (i>=10) i = 0 (i ∈ [0, 9]);
    /* use y */
}
```

To prove the absence of run-time error:

- insert **verification conditions** $\langle \cdot \rangle$ ensuring error-freedom
- infer **invariants** (\cdot)
- check that the invariants imply the conditions

Industrial implementation: Astrée

Astrée static analyzer: [Blan03]

- developed at ENS from 2001
- industrialized by **AbsInt** since 2009
Angewandte Informatik
- analyzes embedded critical control/command C code
- checks for **run-time errors** (arithmetic, arrays, pointers)
- applied to **industrial** Airbus code, up to **1 M lines**
- **zero alarm**, $\simeq 40\text{h}$ computation time



Based on **abstract interpretation**:

- uses **intervals** and **octagons** (not polyhedra)
- and many more abstract domains (some domain-specific)
- uses **linearization** of float expressions

<http://www.astree.ens.fr>

Backward analysis

sign function

```
X:=[-100,100];  
if X=0 then Z:=0 else  
    Y:=X;  
    if Y < 0 then Y:=-Y;  
    Z:=X/Y  
fi
```

Backward analysis

sign function

```
X:=[-100,100]; ( $X \in [-100, 100]$ )
if  $X=0$  then  $Z:=0$  else ( $X \in [-100, 100]$ )
   $Y:=X$ ; ( $X, Y \in [-100, 100]$ )
    if  $Y < 0$  then  $Y:=-Y$ ; ( $X \in [-100, 100], Y \in [0, 100]$ )
     $Z:=X/Y$  ( $X \in [-100, 100], Y \in [0, 100]$ )
fi
```

Forward interval analysis (possible division by 0)

Backward analysis

sign function

```
X:=[-100,100]; ( $\perp$ )
if X=0 then Z:=0 else ( $X = 0$ )
  Y:=X; ( $Y = 0$ )
    if Y < 0 then Y:=-Y; ( $Y = 0$ )
      Z:=X/Y ( $Y = 0$ )
  fi
```

Backward interval analysis

- infer (tight) necessary conditions on inputs
to reach a given point in a given state
($Y = 0$ at the end of the program)
- refine and focus the result of a forward analysis
(prove the absence of division by zero) [Bour93b], [Riva05]

Relation analysis

store the maximum of X,Y,0 into Z

max(X,Y,Z)

```
Z :=X ;  
if Y > Z then Z :=Y ;  
if Z < 0 then Z :=0;
```

Relation analysis

store the maximum of X,Y,0 into Z'

```
max(X,Y,Z)
X' := X; Y' := Y; Z' := Z;
Z' := X';
if Y' > Z' then Z' := Y';
if Z' < 0 then Z' := 0;
```

- **add and rename variables:** keep a copy of input values

Relation analysis

store the maximum of X,Y,0 into Z'

max(X,Y,Z)

X' := X; Y' := Y; Z' := Z;

Z' := X';

if Y' > Z' then Z' := Y';

if Z' < 0 then Z' := 0;

($Z' \geq X \wedge Z' \geq Y \wedge Z' \geq 0 \wedge X' = X \wedge Y' = Y$)


- **add and rename variables:** keep a copy of input values
- infer a **relation** between input values (X, Y, Z) and current values (X', Y', Z')

Applications: procedure summaries, modular analyses. [Anco10]

Academic implementation: Apron and Interproc

Apron: library of numerical abstractions [Jean09]

Interproc: on-line analyzer for a toy language, based on Apron



<http://pop-art.inrialpes.fr/interproc/interprocweb.cgi>

Applications to non-numerical analyses

Pointer offset analysis

pointer arithmetics

```
float* p = q;  
for (i=0; i<10; i++)  
    if (...) p++;
```

 \rightsquigarrow

offset arithmetics

```
unsigned offp = offq;  
for (i=0; i<10; i++)  
    if (...) offp += 4;  
(offq ≤ offp ≤ offq + 4 × i + 4)
```

In C, pointers can be viewed as **symbolic** integers with:

- a symbolic base
- an **integer offset** (off_p, off_q)

[Mine06]

String analysis for C

pointers and buffers

```
char buf[20];  
char* p;  
  
strcpy(buf, "Hello");  
p = buf+5;  
  
strcpy(p, " world!");
```

In C, strings are **pointers** to arrays of **char**, terminated by **0**:

- no explicit information on **available space** (buffer length)
- no explicit **length** information (position of 0)
- **aliasing** is possible

⇒ source of many programming errors

String analysis for C

pointers and buffers

```
char buf[20]; (allocbuf = 20)
char* p;
(allocbuf ≥ 6)
strcpy(buf, "Hello"); (lenbuf = 5)
p = buf+5; (stridep-buf = 5, lenp = lenbuf - 5, allocp = allocbuf - 5)
(allocp ≥ 8)
strcpy(p, " world!"); (lenp = 7, lenbuf = lenp + stridep-buf)
```

Analysis of correctness: [Dor01]

- instrument the program with integer variables
 $(alloc_p, len_p, stride_{p-q})$
- add code to update the variables (\cdot)
- add safety assertions $\langle \cdot \rangle$
- infer invariants and prove that the assertions hold

Memory shape analysis

list creation and copy into an array

```
cell *x, *head = NULL;
for (i=0; i<n; i++) {
    x = alloc();
    x->next = head; head = x;
}
( $k \in [0, n - 1] \wedge \text{head}(->\text{next})^k->\text{data} = 0$ )
for (i=0, x=head; x; x=x->next, i++)
    a[i] = x->data;
( $k \in [0, n - 1] \wedge a[k] = \text{head}(->\text{next})^k->\text{data}$ )
```

Numerical analysis on:

- program variables: i , n , and
- instrumentation variables: k , $\text{head}(->\text{next})^k->\text{data}$, $a[k]$

[Vene02]

Cost analysis

selection sort

```
cost = 0;
for i=0 to n-2 do
    for j=i+1 to n-1 do
        if tab[i] > tab[j] then swap(tab[i],tab[j]);
        cost = cost+1
    done
done
```

To count the maximum number of instructions:

- instrument the program with a **counter**

Cost analysis

selection sort

```
cost = 0;
for i=0 to n-2 do ( $cost = i \times n - i \times (i + 1)/2$ )
    for j=i+1 to n-1 do ( $cost = i \times n - i \times (i + 1)/2 + j - i - 1$ )
        if tab[i] > tab[j] then swap(tab[i],tab[j]);
        cost = cost+1
    done
done
( $cost = (n + 1) \times (n - 2)/2$ )
```

To count the maximum number of instructions:

- instrument the program with a **counter**
- infer loop and exit **invariants** (\cdot)

Dependency analysis for array indices

multiplication of polynomials

```
for i=1 to n do
    for j=1 to n do
        v := r[i+j] •;
        ♠ r[i+j] := v + a[i] * b[j];
        t := t+1
    done
done
```

Can a **read** at **•** depend on a previous **write** from ♠?

- add a global counter **t** (allows expressing temporal properties)
- infer an invariant set $X \in \mathbb{Z}^3$ for t, i, j
- check $\exists((t, i, j), (t', i', j')) \in X \times X, t > t', i + j = i' + j'$

Information used by compilers to enable loop transformations [Girb06].

Termination analysis

simple terminating program

```
i:=[0,10]; j:=[0,200];
while i>0 do •
    j:=j-1;
    if j<=0 then i:=i-1; j:=[0,100] fi
done
```

Method: find a **ranking function** r

- always positive at •
- strictly decreases at each passing through •

Termination analysis

simple terminating program

```
i:=[0,10]; j:=[0,200];
while i>0 do •
    j:=j-1;
    if j<=0 then i:=i-1; j:=[0,100] fi
done
```

Example: try $r = \alpha i + \beta j + \gamma$, for some $\alpha, \beta, \gamma \geq 0$.

- run an invariant analysis: at •, $i \in [1, 10], j \in [0, 200]$
- find $\alpha, \beta, \gamma \geq 0$ such that
 - r positive: $\forall i \in [1, 10], j \in [0, 200], \alpha i + \beta j + \gamma \geq 0$
 - r strictly decreasing for each path:
$$-\beta < 0 \wedge (\forall j \in [0, 200], j' \in [0, 100], -\alpha + (j' - j)\beta < 0)$$

Termination analysis

simple terminating program

```
i:=[0,10]; j:=[0,200];
while i>0 do •
    j:=j-1;
    if j<=0 then i:=i-1; j:=[0,100] fi
done
```

Example: try $r = \alpha i + \beta j + \gamma$, for some $\alpha, \beta, \gamma \geq 0$.

- run an invariant analysis: at •, $i \in [1, 10], j \in [0, 200]$
- find $\alpha, \beta, \gamma \geq 0$ such that
 - r positive: $\alpha + \gamma \geq 0$
 - r strictly decreasing for each path:
$$-\beta < 0 \wedge -\alpha + 100\beta < 0$$

Example solution: $r = 101i + j$.

See also [Berd07]

Generalities and notations

Syntax

Expression syntax

Toy language:

- fixed, **finite** set of variables \mathbb{V} ,
- **one datatype**: scalars in \mathbb{I} , with $\mathbb{I} \in \{\mathbb{Z}, \mathbb{Q}, \mathbb{R}\}$
(and sometimes machine integers \mathbb{M} or floats \mathbb{F})
- no procedure

arithmetic expressions:

$\text{exp} ::=$	V	variable $V \in \mathbb{V}$
	$-\text{exp}$	negation
	$\text{exp} \diamond \text{exp}$	binary operation: $\diamond \in \{+, -, \times, /\}$
	$[c, c']$	constant range, $c, c' \in \mathbb{I} \cup \{\pm\infty\}$ c is a shorthand for $[c, c]$

Programs (structured syntax)

programs: as syntax trees

<code>prog ::=</code>		
	<code>V := exp</code>	assignment
	<code>if exp ▷ 0 then prog else prog fi</code>	test
	<code>while exp ▷ 0 do prog done</code>	loop
	<code>prog; prog</code>	sequence
	<code>ε</code>	no-op

Programs (as control-flow graphs)

commands:

$\text{com} ::= V := \text{exp}$ assignment into $V \in \mathbb{V}$
 | $\text{exp} \bowtie 0$ test, $\bowtie \in \{=,<,>,\leq,\geq,\neq\}$

programs: as control-flow graphs

$$P \stackrel{\text{def}}{=} (L, e, x, A)$$


- L program points (labels)
- e entry point: $e \in L$
- x exit point: $x \in L$
- A arcs: $A \subseteq L \times \text{com} \times L$

Example

```

1X:=[0,10]; 2
Y:=100;
while 3X>=0 do 4
    X:=X-1; 5
    Y:=Y+10
done 6

```



structured program

control flow
graph

Concrete semantics

Forward concrete semantics

Semantics of expressions: $E[\![e]\!]: (\mathbb{V} \rightarrow \mathbb{I}) \rightarrow \mathcal{P}(\mathbb{I})$

The evaluation of e in ρ gives a **set** of values:

$E[\![c, c']]\!] \rho$	$\stackrel{\text{def}}{=}$	$\{ x \in \mathbb{I} \mid c \leq x \leq c' \}$
$E[\![v]\!] \rho$	$\stackrel{\text{def}}{=}$	$\{ \rho(v) \}$
$E[\![-e]\!] \rho$	$\stackrel{\text{def}}{=}$	$\{ -v \mid v \in E[\![e]\!] \rho \}$
$E[\![e_1 + e_2]\!] \rho$	$\stackrel{\text{def}}{=}$	$\{ v_1 + v_2 \mid v_1 \in E[\![e_1]\!] \rho, v_2 \in E[\![e_2]\!] \rho \}$
$E[\![e_1 - e_2]\!] \rho$	$\stackrel{\text{def}}{=}$	$\{ v_1 - v_2 \mid v_1 \in E[\![e_1]\!] \rho, v_2 \in E[\![e_2]\!] \rho \}$
$E[\![e_1 \times e_2]\!] \rho$	$\stackrel{\text{def}}{=}$	$\{ v_1 \times v_2 \mid v_1 \in E[\![e_1]\!] \rho, v_2 \in E[\![e_2]\!] \rho \}$
$E[\![e_1 / e_2]\!] \rho$	$\stackrel{\text{def}}{=}$	$\{ v_1/v_2 \mid v_1 \in E[\![e_1]\!] \rho, v_2 \in E[\![e_2]\!] \rho, v_2 \neq 0 \}$

Forward concrete semantics (cont.)

Semantics of commands: $C[\![c]\!]: \mathcal{P}(\mathbb{V} \rightarrow \mathbb{I}) \rightarrow \mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$

A **transfer function** for c defines a **relation** on environments:

$$\begin{aligned} C[\![v := e]\!] \mathcal{X} &\stackrel{\text{def}}{=} \{ \rho[v \mapsto v] \mid \rho \in \mathcal{X}, v \in E[\![e]\!] \rho \} \\ C[\![e \bowtie 0]\!] \mathcal{X} &\stackrel{\text{def}}{=} \{ \rho \mid \rho \in \mathcal{X}, \exists v \in E[\![e]\!] \rho, v \bowtie 0 \} \end{aligned}$$

It relates the environments after the execution of a command to the environments before.

Complete **join morphism**: $C[\![c]\!] \mathcal{X} = \bigcup_{\rho \in \mathcal{X}} C[\![c]\!] \{ \rho \}$.

Forward concrete semantics (cont.)

Semantics of programs: $\text{P}[\![(L, e, x, A)]\!] : L \rightarrow \mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$

$\text{P}[\![(L, e, x, A)]\!] \ell$ is the **most precise invariant** at $\ell \in L$.

It is the **smallest** solution of a recursive equation system $(\mathcal{X}_\ell)_{\ell \in L}$:


Semantical equation system

$$\begin{aligned} \mathcal{X}_e & && \text{(given initial state)} \\ \mathcal{X}_{\ell \neq e} &= \bigcup_{(\ell', c, \ell) \in A} \text{C}[\![c]\!] \mathcal{X}_{\ell'} && \text{(transfer function)} \end{aligned}$$

Tarski's Theorem: this smallest solution exists and is unique.

- $\mathcal{D} \stackrel{\text{def}}{=} (\mathcal{P}(\mathbb{V} \rightarrow \mathbb{I}), \subseteq, \cup, \cap, \emptyset, (\mathbb{V} \rightarrow \mathbb{I}))$ is a complete lattice,
- each $M_\ell : \mathcal{X}_\ell \mapsto \bigcup_{(\ell', c, \ell) \in A} \text{C}[\![c]\!] \mathcal{X}_{\ell'}$ is monotonic in \mathcal{D} .
 \Rightarrow the solution is the least fixpoint of $(M_\ell)_{\ell \in L}$.

Forward concrete semantics (example)



$$\left\{ \begin{array}{l} \mathcal{X}_1 = (\{X, Y\} \rightarrow \mathbb{Z}) \\ \mathcal{X}_2 = C[X := [0, 10]] \mathcal{X}_1 \\ \mathcal{X}_3 = C[Y := 100] \mathcal{X}_2 \cup \\ \quad C[Y := Y + 10] \mathcal{X}_5 \\ \mathcal{X}_4 = C[X \geq 0] \mathcal{X}_3 \\ \mathcal{X}_5 = C[X := X - 1] \mathcal{X}_4 \\ \mathcal{X}_6 = C[X < 0] \mathcal{X}_3 \end{array} \right. \quad \text{equation system}$$

Loop invariant:

$$\mathcal{X}_3 = \{ \rho \mid \rho(X) \in [0, 10], 10\rho(X) + \rho(Y) \in [100, 200] \cap 10\mathbb{Z} \}$$

Resolution

Resolution by increasing iterations:

$$\left\{ \begin{array}{ll} \mathcal{X}_e^0 & \stackrel{\text{def}}{=} \mathcal{X}_e \\ \mathcal{X}_{\ell \neq e}^0 & \stackrel{\text{def}}{=} \emptyset \end{array} \right. \quad \left\{ \begin{array}{ll} \mathcal{X}_e^{n+1} & \stackrel{\text{def}}{=} \mathcal{X}_e \\ \mathcal{X}_{\ell \neq e}^{n+1} & \stackrel{\text{def}}{=} \bigcup_{(\ell', c, \ell) \in A} C[\![c]\!] \mathcal{X}_{\ell'}^n \end{array} \right.$$

Converges in ω iterations to a least solution,
because each $C[\![c]\!]$ is continuous in the CPO \mathcal{D} .
(Kleene fixpoint theorem)

Resolution (example)

$$\left\{ \begin{array}{ll} \mathcal{X}_1 = \mathbb{Z}^2 & \text{iteration 0} \\ \mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1 & \mathbb{Z}^2 \\ \mathcal{X}_3 = \begin{aligned} & C[\![Y := 100]\!] \mathcal{X}_2 \cup \\ & C[\![Y := Y + 10]\!] \mathcal{X}_5 \end{aligned} & \emptyset \\ \mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3 & \emptyset \\ \mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4 & \emptyset \\ \mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3 & \emptyset \end{array} \right.$$

Resolution (example)

$$\left\{ \begin{array}{ll} \mathcal{X}_1 = \mathbb{Z}^2 & \text{iteration 1} \\ \mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1 & \mathbb{Z}^2 \\ \mathcal{X}_3 = \begin{aligned} & C[\![Y := 100]\!] \mathcal{X}_2 \cup \\ & C[\![Y := Y + 10]\!] \mathcal{X}_5 \end{aligned} & [0, 10] \times \mathbb{Z} \\ \mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3 & \emptyset \\ \mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4 & \emptyset \\ \mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3 & \emptyset \end{array} \right.$$

Resolution (example)

$$\left\{ \begin{array}{ll}
 \mathcal{X}_1 = \mathbb{Z}^2 & \text{iteration 2} \\
 \mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1 & \mathbb{Z}^2 \\
 \mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5 & \{ (0, 100), \dots, (10, 100) \} \\
 \mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3 & \emptyset \\
 \mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4 & \emptyset \\
 \mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3 & \emptyset
 \end{array} \right.$$

Resolution (example)

$$\left\{ \begin{array}{ll}
 \mathcal{X}_1 = \mathbb{Z}^2 & \text{iteration 3} \\
 \mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1 & \mathbb{Z}^2 \\
 \mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5 & \{ (0, 100), \dots, (10, 100) \} \\
 \mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3 & \{ (0, 100), \dots, (10, 100) \} \\
 \mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4 & \emptyset \\
 \mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3 & \emptyset
 \end{array} \right.$$

Resolution (example)

		iteration 4
$\mathcal{X}_1 = \mathbb{Z}^2$		\mathbb{Z}^2
$\mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1$		$[0, 10] \times \mathbb{Z}$
$\mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5$		$\{ (0, 100), \dots, (10, 100) \}$
$\mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3$		$\{ (0, 100), \dots, (10, 100) \}$
$\mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4$		$\{ (-1, 100), \dots, (9, 100) \}$
$\mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3$		\emptyset

Resolution (example)

		iteration 5
$\mathcal{X}_1 = \mathbb{Z}^2$		\mathbb{Z}^2
$\mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1$		$[0, 10] \times \mathbb{Z}$
$\mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5$		$\{ (0, 100), \dots, (10, 100), (-1, 110), \dots, (9, 110) \}$
$\mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3$		$\{ (0, 100), \dots, (10, 100) \}$
$\mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4$		$\{ (-1, 100), \dots, (9, 100) \}$
$\mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3$		\emptyset

Resolution (example)

		iteration 6
$\mathcal{X}_1 = \mathbb{Z}^2$		\mathbb{Z}^2
$\mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1$		$[0, 10] \times \mathbb{Z}$
$\mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5$		$\{ (0, 100), \dots, (10, 100), (-1, 110), \dots, (9, 110) \}$
$\mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3$		$\{ (0, 100), \dots, (10, 100), (0, 110), \dots, (9, 110) \}$
$\mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4$		$\{ (-1, 100), \dots, (9, 100) \}$
$\mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3$		$\{ (-1, 110) \}$

Resolution (example)

		iteration 7
$\mathcal{X}_1 = \mathbb{Z}^2$		\mathbb{Z}^2
$\mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1$		$[0, 10] \times \mathbb{Z}$
$\mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5$		$\{ (0, 100), \dots, (10, 100), (-1, 110), \dots, (9, 110) \}$
$\mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3$		$\{ (0, 100), \dots, (10, 100), (0, 110), \dots, (9, 110) \}$
$\mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4$		$\{ (-1, 100), \dots, (9, 100), (-1, 110), \dots, (8, 110) \}$
$\mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3$		$\{ (-1, 110) \}$

Resolution (example)

		iteration 8
$\mathcal{X}_1 = \mathbb{Z}^2$		\mathbb{Z}^2
$\mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1$		$[0, 10] \times \mathbb{Z}$
$\mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5$		$\{ (0, 100), \dots, (10, 100), (-1, 110), \dots, (9, 110), (-1, 120), \dots, (8, 120) \}$
$\mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3$		$\{ (0, 100), \dots, (10, 100), (0, 110), \dots, (9, 110) \}$
$\mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4$		$\{ (-1, 100), \dots, (9, 100), (-1, 110), \dots, (8, 110) \}$
$\mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3$		$\{ (-1, 110) \}$

Resolution (example)

	iteration 9
$\mathcal{X}_1 = \mathbb{Z}^2$	\mathbb{Z}^2
$\mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1$	$[0, 10] \times \mathbb{Z}$
$\mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5$	$\{ (0, 100), \dots, (10, 100), (-1, 110), \dots, (9, 110), (-1, 120), \dots, (8, 120) \}$
$\mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3$	$\{ (0, 100), \dots, (10, 100), (0, 110), \dots, (9, 110), (0, 120), \dots, (8, 120) \}$
$\mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4$	$\{ (-1, 100), \dots, (9, 100), (-1, 110), \dots, (8, 110) \}$
$\mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3$	$\{ (-1, 110), (-1, 120) \}$

Resolution (example)

	iteration 10
$\mathcal{X}_1 = \mathbb{Z}^2$	\mathbb{Z}^2
$\mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1$	$[0, 10] \times \mathbb{Z}$
$\mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5$	$\{ (0, 100), \dots, (10, 100), (-1, 110), \dots, (9, 110), (-1, 120), \dots, (8, 120) \}$
$\mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3$	$\{ (0, 100), \dots, (10, 100), (0, 110), \dots, (9, 110), (0, 120), \dots, (8, 120) \}$
$\mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4$	$\{ (-1, 100), \dots, (9, 100), (-1, 110), \dots, (8, 110), (-1, 120), \dots, (7, 120) \}$
$\mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3$	$\{ (-1, 110), (-1, 120) \}$

Resolution (example)

		iteration ...
$\mathcal{X}_1 = \mathbb{Z}^2$		\mathbb{Z}^2
$\mathcal{X}_2 = C[\![X := [0, 10]]\!] \mathcal{X}_1$		$[0, 10] \times \mathbb{Z}$
$\mathcal{X}_3 = C[\![Y := 100]\!] \mathcal{X}_2 \cup C[\![Y := Y + 10]\!] \mathcal{X}_5$		$\{ (0, 100), \dots, (10, 100),$ $(-1, 110), \dots, (9, 110),$ $(-1, 120), \dots, (8, 120), \dots \}$
$\mathcal{X}_4 = C[\![X \geq 0]\!] \mathcal{X}_3$		$\{ (0, 100), \dots, (10, 100),$ $(0, 110), \dots, (9, 110),$ $(0, 120), \dots, (8, 120), \dots \}$
$\mathcal{X}_5 = C[\![X := X - 1]\!] \mathcal{X}_4$		$\{ (-1, 100), \dots, (9, 100),$ $(-1, 110), \dots, (8, 110),$ $(-1, 120), \dots, (7, 120), \dots \}$
$\mathcal{X}_6 = C[\![X < 0]\!] \mathcal{X}_3$		$\{ (-1, 110), (-1, 120), \dots \}$

Backward concrete semantics

Semantics of commands: $C[\overleftarrow{c}]: \mathcal{P}(\mathbb{V} \rightarrow \mathbb{I}) \rightarrow \mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$

$$\begin{aligned} C[\overleftarrow{V := e}] \mathcal{X} &\stackrel{\text{def}}{=} \{ \rho \mid \exists v \in E[e] \rho, \rho[V \mapsto v] \in \mathcal{X} \} \\ C[\overleftarrow{e \bowtie 0}] \mathcal{X} &\stackrel{\text{def}}{=} C[e \bowtie 0] \mathcal{X} \end{aligned}$$

(necessary conditions on ρ to have a successor in \mathcal{X} by c)

Refinement decreasing iterations: given:

- a solution $(\mathcal{X}_\ell)_{\ell \in L}$ of the forward system
- an output criterion \mathcal{Y}_x

compute a least fixpoint by decreasing iterations [Bour93b],

[Riva05]

$$\begin{cases} \mathcal{Y}_x^0 & \stackrel{\text{def}}{=} \mathcal{X}_x \cap \mathcal{Y}_x \\ \mathcal{Y}_{\ell \neq x}^0 & \stackrel{\text{def}}{=} \mathcal{X}_\ell \\ \mathcal{Y}_x^{n+1} & \stackrel{\text{def}}{=} \mathcal{X}_x \cap \mathcal{Y}_x \\ \mathcal{Y}_{\ell \neq x}^{n+1} & \stackrel{\text{def}}{=} \mathcal{X}_\ell \cap \left(\bigcup_{(\ell, c, \ell') \in A} C[\overleftarrow{c}] \mathcal{Y}_{\ell'}^n \right) \end{cases}$$

Limit to automation

We wish to perform **automatic** numerical invariant discovery.

Theoretical problems

- elements of $\mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$ are **not computer representable**
- transfer functions $C[\![c]\!], C[\!\!\! \begin{array}{c} \leftarrow \\ c \end{array}]$ are **not computable**
- lattice iterations in $\mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$ are **transfinite**

Finding the best invariant is an **undecidable problem**

Note:

Even when \mathbb{I} is finite, a concrete analysis is **not tractable**:

- representing elements in $\mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$ in extension is expensive
- computing $C[\![c]\!], C[\!\!\! \begin{array}{c} \leftarrow \\ c \end{array}]$ explicitly is expensive
- the lattice $\mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$ has a large height (\Rightarrow many iterations)


Abstraction

Numerical abstract domains

A **numerical abstract domain** is given by:

- a subset of $\mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$
(a set of environment sets)
together with a machine encoding,
- effective and sound abstract operators,
- an iteration strategy.

Numerical abstract domain examples



Numerical abstract domains (cont.)

Representation: given by

- a set \mathcal{D}^\sharp of machine-representable abstract values,
- a **partial order** $(\mathcal{D}^\sharp, \sqsubseteq^\sharp, \perp^\sharp, \top^\sharp)$
relating the amount of information given by abstract values,
- a **concretization** function $\gamma: \mathcal{D}^\sharp \rightarrow \mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$
giving a concrete meaning to each abstract element.

Required algebraic properties:

- γ should be **monotonic** for $\sqsubseteq^\sharp: \mathcal{X}^\sharp \sqsubseteq^\sharp \mathcal{Y}^\sharp \implies \gamma(\mathcal{X}^\sharp) \subseteq \gamma(\mathcal{Y}^\sharp)$,
- $\gamma(\perp^\sharp) = \emptyset$,
- $\gamma(\top^\sharp) = \mathbb{V} \rightarrow \mathbb{I}$.

Note: γ need not be one-to-one.

Numerical abstract domains (cont.)

Abstract operators: we require:

- sound, effective, abstract transfer functions $C^\sharp[\![\, c \,]\!]$, $C^\sharp[\![\, \leftarrow c \,]\!]$ for all commands c ,
- sound, effective, abstract set operators \cup^\sharp , \cap^\sharp ,
- an algorithm to decide the ordering \subseteq^\sharp .

Soundness criterion:

F^\sharp is a **sound** abstraction of a n -ary operator F if:

$$\forall \mathcal{X}_1^\sharp, \dots, \mathcal{X}_n^\sharp \in D^\sharp, F(\gamma(\mathcal{X}_1^\sharp), \dots, \gamma(\mathcal{X}_n^\sharp)) \subseteq \gamma(F^\sharp(\mathcal{X}_1^\sharp, \dots, \mathcal{X}_n^\sharp))$$

Both **semantics** and **algorithmic** aspects.

Abstract semantics

Abstract semantical equation system

$$\mathcal{X}^\# : L \rightarrow \mathcal{D}^\#$$

$$\mathcal{X}_\ell^\# \supseteq^\# \begin{cases} \mathcal{X}_e^\# & \text{if } \ell = e \\ \bigcup_{(\ell', c, \ell) \in A} C^\#[\![c]\!] \mathcal{X}_{\ell'}^\# & \text{if } \ell \neq e \end{cases} \quad \begin{array}{l} (\text{where } \mathcal{X}_e \subseteq \gamma(\mathcal{X}_e^\#)) \\ (\text{abstract transfer function}) \end{array}$$

Soundness Theorem

Any solution $(\mathcal{X}_\ell^\#)_{\ell \in L}$ is a **sound over-approximation** of the concrete collecting semantics:

$$\forall \ell \in L, \gamma(\mathcal{X}_\ell^\#) \supseteq \mathcal{X}_\ell$$

where \mathcal{X}_ℓ is the smallest solution of

$$\left\{ \begin{array}{ll} \mathcal{X}_e & \text{given} \\ \mathcal{X}_\ell = \bigcup_{(\ell', c, \ell) \in A} C[\![c]\!] \mathcal{X}_{\ell'} & \text{if } \ell \neq e \end{array} \right.$$

Iteration strategy

Resolution by iterations in \mathcal{D}^\sharp :

To **effectively** solve the abstract system, we require:

- an **iteration ordering** on abstract equations,
- a **widening operator** ∇ to speed-up the convergence, if there are infinite strictly increasing chains in D^\sharp .

$\nabla : (\mathcal{D}^\sharp \times \mathcal{D}^\sharp) \rightarrow \mathcal{D}^\sharp$ is a widening if:

- it is sound: $\gamma(\mathcal{X}^\sharp) \cup \gamma(\mathcal{Y}^\sharp) \subseteq \gamma(\mathcal{X}^\sharp \nabla \mathcal{Y}^\sharp)$
- it enforces termination:

\forall sequence $(\mathcal{Y}_i^\sharp)_{i \in \mathbb{N}}$

the sequence $\mathcal{X}_0^\sharp = \mathcal{Y}_0^\sharp$, $\mathcal{X}_{i+1}^\sharp = \mathcal{X}_i^\sharp \nabla \mathcal{Y}_{i+1}^\sharp$

stabilizes in finite time: $\exists n < \omega$, $\mathcal{X}_{n+1}^\sharp = \mathcal{X}_n^\sharp$

(note: $\exists n, \forall m \geq n, \mathcal{X}_{m+1}^\sharp = \mathcal{X}_m^\sharp$ is **not** required)

Abstract analysis

$\mathcal{W} \subseteq L$ is a set of **widening points** if every CFG cycle has a point in \mathcal{W} .

Forward analysis:

$$\mathcal{X}_e^{\sharp 0} \stackrel{\text{def}}{=} \mathcal{X}_e^\sharp \quad \text{such that } \mathcal{X}_e \subseteq \gamma(\mathcal{X}_e^\sharp)$$

$$\mathcal{X}_{\ell \neq e}^{\sharp 0} \stackrel{\text{def}}{=} \perp^\sharp$$

$$\mathcal{X}_\ell^{\sharp n+1} \stackrel{\text{def}}{=} \begin{cases} \mathcal{X}_e^\sharp & \text{if } \ell = e \\ \bigcup_{(\ell', c, \ell) \in A} C^\sharp[\![c]\!] \mathcal{X}_{\ell'}^{\sharp n} & \text{if } \ell \notin \mathcal{W}, \ell \neq e \\ \mathcal{X}_\ell^{\sharp n} \downarrow \bigcup_{(\ell', c, \ell) \in A} C^\sharp[\![c]\!] \mathcal{X}_{\ell'}^{\sharp n} & \text{if } \ell \in \mathcal{W}, \ell \neq e \end{cases}$$

- **termination:** for some δ , $\forall \ell, \mathcal{X}_\ell^{\sharp \delta+1} = \mathcal{X}_\ell^{\sharp \delta}$
- **soundness:** $\forall \ell \in L, \mathcal{X}_\ell \subseteq \gamma(\mathcal{X}_\ell^{\sharp \delta})$
- can be refined by decreasing iterations with narrowing Δ (presented later)
- other iteration orders are possible (worklist, chaotic iterations, see [Bour93a])

Abstract analysis (proof)

Proof of soundness:

Suppose that $\forall \ell, \mathcal{X}_\ell^{\#\delta+1} = \mathcal{X}_\ell^{\#\delta}$.

If $\ell = e$, by definition: $\mathcal{X}_e^{\#\delta} = \mathcal{X}_e^\#$ and $\mathcal{X}_e \subseteq \gamma(\mathcal{X}_e^{\#\delta})$.

If $\ell \neq e, \ell \notin \mathcal{W}$, then $\mathcal{X}_\ell^{\#\delta} = \mathcal{X}_\ell^{\#\delta+1} = \cup_{(\ell', c, \ell) \in A}^\# C^\# [c] \mathcal{X}_{\ell'}^{\#\delta}$.

By soundness of $\cup^\#$ and $C^\# [c]$, $\gamma(\mathcal{X}_\ell^{\#\delta}) \supseteq \cup_{(\ell', c, \ell) \in A} C [c] \gamma(\mathcal{X}_{\ell'}^{\#\delta})$.

If $\ell \neq e, \ell \in \mathcal{W}$, then $\mathcal{X}_\ell^{\#\delta} = \mathcal{X}_\ell^{\#\delta+1} = \mathcal{X}_\ell^{\#\delta} \nabla \cup_{(\ell', c, \ell) \in A}^\# C^\# [c] \mathcal{X}_{\ell'}^{\#\delta}$.

By soundness of ∇ , $\gamma(\mathcal{X}_\ell^{\#\delta}) \supseteq \gamma(\cup_{(\ell', c, \ell) \in A}^\# C^\# [c] \mathcal{X}_{\ell'}^{\#\delta})$,

and so we also have $\gamma(\mathcal{X}_\ell^{\#\delta}) \supseteq \cup_{(\ell', c, \ell) \in A} C [c] \gamma(\mathcal{X}_{\ell'}^{\#\delta})$.

We have proved that $\lambda \ell. \gamma(\mathcal{X}_\ell^{\#\delta})$ is a postfixpoint of the concrete equation system.

Hence, it is greater than its least solution.

Abstract analysis (proof)

Proof of termination:

Suppose that the iteration does not terminate in finite time.

Given a label $\ell \in L$, we denote by $i_\ell^1, \dots, i_\ell^k, \dots$ the increasing sequence of unstable indices, i.e., such that $\forall k$, $\mathcal{X}_\ell^{\#i_\ell^{k+1}} \neq \mathcal{X}_\ell^{\#i_\ell^k}$.

As the iteration is not stable, $\forall n, \exists \ell, \mathcal{X}_\ell^{\#n} \neq \mathcal{X}_\ell^{\#n+1}$.

Hence, the sequence $(i_\ell^k)_k$ is infinite for at least one $\ell \in L$.

We argue that $\exists \ell \in \mathcal{W}$ such that $(i_\ell^k)_k$ is infinite as, otherwise,

$N = \max \{ i_\ell^k \mid \ell \in \mathcal{W} \} + |L|$ is finite and satisfies

$\forall n \geq N, \forall \ell \in L, \mathcal{X}_\ell^{\#n} = \mathcal{X}_\ell^{\#n+1}$, contradicting our assumption.

For such a $\ell \in \mathcal{W}$, consider the subsequence $\mathcal{Y}_k^\# = \mathcal{X}_\ell^{\#i_\ell^k}$ comprised of the unstable iterates of $\mathcal{X}_\ell^\#$.

Then $\mathcal{Y}^{\#k+1} = \mathcal{Y}^{\#k} \triangledown \mathcal{Z}^{\#k}$ for some sequence $\mathcal{Z}^{\#k}$.

The subsequence is infinite and $\forall k, \mathcal{Y}^{\#k+1} \neq \mathcal{Y}^{\#k}$, which contradicts the definition of \triangledown .

Hence, the iteration must terminate in finite time.

Abstract analysis (cont.)

Backward refinement:

Given a forward analysis result $\mathcal{X}^\#$.

$$\mathcal{Y}_x^{\#0} \stackrel{\text{def}}{=} \mathcal{X}_x^\# \cap^\# \mathcal{Y}_x^\#$$

$$\mathcal{Y}_{\ell \neq x}^{\#0} \stackrel{\text{def}}{=} \mathcal{X}_\ell^\#$$

$$\mathcal{Y}_\ell^{\#n+1} \stackrel{\text{def}}{=} \begin{cases} \mathcal{X}_x^\# \cap^\# \mathcal{Y}_x^\# & \text{if } \ell = x \\ \mathcal{X}_\ell^\# \cap^\# \bigcup_{(\ell, c, \ell') \in A} C^\# \llbracket \overleftarrow{c} \rrbracket \mathcal{Y}_{\ell'}^{\#n} & \text{if } \ell \notin \mathcal{W}, \ell \neq x \\ \mathcal{Y}_\ell^{\#n} \Delta (\mathcal{X}_\ell^\# \cap^\# \bigcup_{(\ell, c, \ell') \in A} C^\# \llbracket \overleftarrow{c} \rrbracket \mathcal{Y}_{\ell'}^{\#n}) & \text{if } \ell \in \mathcal{W}, \ell \neq x \end{cases}$$

Δ overapproximates \cap while enforcing the convergence of **decreasing** iterations. (more details will be given later)

Forward–backward analyses can be iterated.

Exact and best abstractions

Galois connection: $\mathcal{D} \xrightleftharpoons[\alpha]{\gamma} \mathcal{D}^\sharp$

- α, γ monotonic and $\forall \mathcal{X}, \mathcal{Y}^\sharp, \alpha(\mathcal{X}) \subseteq^\sharp \mathcal{Y}^\sharp \iff \mathcal{X} \subseteq \gamma(\mathcal{Y}^\sharp)$
- \Rightarrow elements \mathcal{X} have a **best** abstraction: $\alpha(\mathcal{X})$
- \Rightarrow operators F have a **best** abstraction: $F^\sharp = \alpha \circ F \circ \gamma$

Sometimes, no α exists:

- $\{\gamma(\mathcal{Y}^\sharp) \mid \mathcal{X} \subseteq \gamma(\mathcal{Y}^\sharp)\}$ has no greatest lower bound
- abstract elements with the same γ have no best representation

$\alpha \circ F \circ \gamma$ may still be defined for some F (partial α)

Concretization-based optimality:

- **sound** abstraction: $\gamma \circ F^\sharp \supseteq F \circ \gamma$
- **exact** abstraction: $\gamma \circ F^\sharp = F \circ \gamma$
- **optimal** abstraction: $\gamma(\mathcal{X}^\sharp)$ minimal in $\{\gamma(\mathcal{Y}^\sharp) \mid \mathcal{X} \subseteq \gamma(\mathcal{Y}^\sharp)\}$

Non-relational domains

Value abstract domain

Idea: start from an abstraction of **values** $\mathcal{P}(\mathbb{I})$

Numerical value abstract domain:

- \mathcal{B}^\sharp abstract values, machine-representable
- $\gamma_b: \mathcal{B}^\sharp \rightarrow \mathcal{P}(\mathbb{I})$ concretization
- \subseteq_b^\sharp partial order
- $\perp_b^\sharp, \top_b^\sharp$ represent \emptyset and $\mathcal{P}(\mathbb{I})$
- $\cup_b^\sharp, \cap_b^\sharp$ abstractions of \cup and \cap
- ∇_b extrapolation operator
- $\alpha_b: \mathcal{P}(\mathbb{I}) \rightarrow \mathcal{B}^\sharp$ abstraction (optional)

Derived abstract domain

$$\mathcal{D}^\# \stackrel{\text{def}}{=} (\mathbb{V} \rightarrow (\mathcal{B}^\# \setminus \{\perp_b^\#\})) \cup \{\perp^\#\}$$

- point-wise extension: $\mathcal{X}^\# \in \mathcal{D}^\#$ is a vector of elements in $\mathcal{B}^\#$
(e.g. using arrays of size $|\mathbb{V}|$)
- smashed $\perp^\#$ (avoids redundant representations of \emptyset)

Definitions on $\mathcal{D}^\#$ derived from $\mathcal{B}^\#$:

$$\gamma(\mathcal{X}^\#) \stackrel{\text{def}}{=} \begin{cases} \emptyset & \text{if } \mathcal{X}^\# = \perp^\# \\ \{\rho \mid \forall v, \rho(v) \in \gamma_b(\mathcal{X}^\#(v))\} & \text{otherwise} \end{cases}$$

$$\alpha(\mathcal{X}) \stackrel{\text{def}}{=} \begin{cases} \perp^\# & \text{if } \mathcal{X} = \emptyset \\ \lambda v. \alpha_b(\{\rho(v) \mid \rho \in \mathcal{X}\}) & \text{otherwise} \end{cases}$$

$$\top^\# \stackrel{\text{def}}{=} \lambda v. \top_b^\#$$

Derived abstract domain (cont.)

$$\mathcal{X}^\# \subseteq^\# \mathcal{Y}^\# \iff \mathcal{X}^\# = \perp^\# \vee (\mathcal{X}^\#, \mathcal{Y}^\# \neq \perp^\# \wedge \forall v, \mathcal{X}^\#(v) \subseteq_b^\# \mathcal{Y}^\#(v))$$

$$\mathcal{X}^\# \cup^\# \mathcal{Y}^\# \stackrel{\text{def}}{=} \begin{cases} \mathcal{Y}^\# & \text{if } \mathcal{X}^\# = \perp^\# \\ \mathcal{X}^\# & \text{if } \mathcal{Y}^\# = \perp^\# \\ \lambda v. \mathcal{X}^\#(v) \cup_b^\# \mathcal{Y}^\#(v) & \text{otherwise} \end{cases}$$

$$\mathcal{X}^\# \setminus \mathcal{Y}^\# \stackrel{\text{def}}{=} \begin{cases} \mathcal{Y}^\# & \text{if } \mathcal{X}^\# = \perp^\# \\ \mathcal{X}^\# & \text{if } \mathcal{Y}^\# = \perp^\# \\ \lambda v. \mathcal{X}^\#(v) \setminus_b \mathcal{Y}^\#(v) & \text{otherwise} \end{cases}$$

$$\mathcal{X}^\# \cap^\# \mathcal{Y}^\# \stackrel{\text{def}}{=} \begin{cases} \perp^\# & \text{if } \mathcal{X}^\# = \perp^\# \text{ or } \mathcal{Y}^\# = \perp^\# \\ \perp^\# & \text{if } \exists v, \mathcal{X}^\#(v) \cap_b^\# \mathcal{Y}^\#(v) = \perp_b^\# \\ \lambda v. \mathcal{X}^\#(v) \cap_b^\# \mathcal{Y}^\#(v) & \text{otherwise} \end{cases}$$

We will see later how to derive $C^\#[\![c]\!]$, $C^\#[\![\overleftarrow{c}]\!]$ using:

- abstract operators $\overset{\#}{+}_b$, ... for $C^\#[\![V := e]\!]$
- backward abstract operators $\overset{\#}{+}_b^*$, ... for $C^\#[\![\overleftarrow{V} := e]\!]$ and $C^\#[\![e \bowtie 0]\!]^\#$

Cartesian abstraction

Non-relational domains “forget” all relationships between variables.

Cartesian abstraction:

Upper closure operator $\rho_c : \mathcal{P}(\mathbb{V} \rightarrow \mathbb{I}) \rightarrow \mathcal{P}(\mathbb{V} \rightarrow \mathbb{I})$


$$\rho_c(\mathcal{X}) \stackrel{\text{def}}{=} \{ \rho \in \mathbb{V} \rightarrow \mathbb{I} \mid \forall v \in \mathbb{V}, \exists \rho' \in \mathcal{X}, \rho(v) = \rho'(v) \}$$

A domain is non relational if $\rho \circ \gamma = \gamma$,

i.e. it cannot distinguish between \mathcal{X} and \mathcal{X}' if $\rho_c(\mathcal{X}) = \rho_c(\mathcal{X}')$.

Example:

$$\rho_c(\{(X, Y) \mid X \in \{0; 2\}, Y \in \{0; 2\}, X + Y \leq 2\}) = \{0; 2\} \times \{0; 2\}.$$



Data-structures for non-relational domains

Arrays

- $\mathcal{O}(1)$ to read or modify a variable
- $\mathcal{O}(|\mathbb{V}|)$ for a copy or a binary operator ($\cup^\#$, $\cap^\#$, etc.)

Functional arrays e.g.: balanced binary trees

- $\mathcal{O}(\log |\mathbb{V}|)$ to read or modify a variable
- $\mathcal{O}(1)$ to copy
- $\mathcal{O}(|\mathcal{X}^\# \Delta \mathcal{Y}^\#| \times \log |\mathbb{V}|)$ for a binary operator $\mathcal{X}^\# \cup^\# \mathcal{Y}^\#$, etc.
(Δ is the symmetric difference)

In practice, $|\mathcal{X}^\# \Delta \mathcal{Y}^\#| \ll |\mathbb{V}|$.

Generic non-relational abstract assignments

Given: sound abstract versions in \mathcal{B}^\sharp of all arithmetic operators:

$$\begin{aligned}
 [c, c']_b^\sharp : & \quad \{x \mid c \leq x \leq c'\} & \subseteq \gamma_b([c, c']_b^\sharp) \\
 -_b^\sharp : & \quad \{ -x \mid x \in \gamma_b(\mathcal{X}_b^\sharp)\} & \subseteq \gamma_b(-_b^\sharp \mathcal{X}_b^\sharp) \\
 +_b^\sharp : & \quad \{x+y \mid x \in \gamma_b(\mathcal{X}_b^\sharp), y \in \gamma_b(\mathcal{Y}_b^\sharp)\} & \subseteq \gamma_b(\mathcal{X}_b^\sharp +_b^\sharp \mathcal{Y}_b^\sharp) \\
 & \vdots
 \end{aligned}$$

We can define:

- an abstract semantics of expressions: $E^\sharp[e] : \mathcal{D}^\sharp \rightarrow \mathcal{B}^\sharp$

$$E^\sharp[e] \perp^\sharp \stackrel{\text{def}}{=} \perp_b^\sharp$$

if $\mathcal{X}^\sharp \neq \perp^\sharp$:

$$E^\sharp[[c, c']] \mathcal{X}^\sharp \stackrel{\text{def}}{=} [c, c']_b^\sharp$$

$$E^\sharp[v] \mathcal{X}^\sharp \stackrel{\text{def}}{=} \mathcal{X}^\sharp(v)$$

$$E^\sharp[-e] \mathcal{X}^\sharp \stackrel{\text{def}}{=} -_b^\sharp E^\sharp[e] \mathcal{X}^\sharp$$

$$E^\sharp[e_1 + e_2] \mathcal{X}^\sharp \stackrel{\text{def}}{=} E^\sharp[e_1] \mathcal{X}^\sharp +_b^\sharp E^\sharp[e_2] \mathcal{X}^\sharp$$

\vdots

Generic non-relational abstract assignments (cont.)

We can then define:

- an abstract assignment:

$$C^\# \llbracket V := e \rrbracket \mathcal{X}^\# \stackrel{\text{def}}{=} \begin{cases} \perp^\# & \text{if } \mathcal{V}_b^\# = \perp_b^\# \\ \mathcal{X}^\#[V \mapsto \mathcal{V}_b^\#] & \text{otherwise} \end{cases}$$

where $\mathcal{V}_b^\# = E^\# \llbracket e \rrbracket \mathcal{X}^\#$.

Using a Galois connection (α_b, γ_b) :

We can define **best** abstract arithmetic operators:


$$\begin{aligned} [c, c']_b^\# &\stackrel{\text{def}}{=} \alpha_b(\{x \mid c \leq x \leq c'\}) \\ -_b^\# \mathcal{X}_b^\# &\stackrel{\text{def}}{=} \alpha_b(\{-x \mid x \in \gamma(\mathcal{X}_b^\#)\}) \\ \mathcal{X}_b^\# +_b^\# \mathcal{Y}_b^\# &\stackrel{\text{def}}{=} \alpha_b(\{x+y \mid x \in \gamma(\mathcal{X}_b^\#), y \in \gamma(\mathcal{Y}_b^\#)\}) \\ &\vdots \end{aligned}$$

Note: in general, $E^\# \llbracket e \rrbracket$ is less precise than $\alpha_b \circ E \llbracket e \rrbracket \circ \gamma$
e.g. $e = V - V$ and $\gamma_b(\mathcal{X}^\#(V)) = [0, 1]$

The Sign Domain

The sign lattice

Hasse diagram: for the lattice $(\mathcal{B}^\sharp, \subseteq_b^\sharp, \perp_b^\sharp, \top_b^\sharp)$



The extended sign domain is a refinement of the simple sign domain.

The diagram implicitly defines \sqcup^\sharp and \sqcap^\sharp as the least upper bound and greatest lower bound for \subseteq^\sharp .

Operations on signs

Abstraction α : there is a **Galois connection** between \mathcal{B}^\sharp and $\mathcal{P}(\mathbb{I})$:

$$\alpha_b(S) \stackrel{\text{def}}{=} \begin{cases} \perp_b^\sharp & \text{if } S = \emptyset \\ 0 & \text{if } S = \{0\} \\ (\geq 0) & \text{else if } \forall s \in S, s \geq 0 \\ (\leq 0) & \text{else if } \forall s \in S, s \leq 0 \\ \top_b^\sharp & \text{otherwise} \end{cases}$$

Derived abstract arithmetic operators:

$$\begin{aligned} c_b^\sharp &\stackrel{\text{def}}{=} \alpha_b(\{c\}) = \begin{cases} 0 & \text{if } c = 0 \\ (\leq 0) & \text{if } c < 0 \\ (\geq 0) & \text{if } c > 0 \end{cases} \\ X^\sharp +_b^\sharp Y^\sharp &\stackrel{\text{def}}{=} \alpha_b(\{x + y \mid x \in \gamma_b(X^\sharp), y \in \gamma_b(Y^\sharp)\}) \\ &= \begin{cases} \perp_b^\sharp & \text{if } X \text{ or } Y^\sharp = \perp_b^\sharp \\ 0 & \text{if } X^\sharp = Y^\sharp = 0 \\ (\leq 0) & \text{else if } X^\sharp \text{ and } Y^\sharp \in \{0, \leq 0\} \\ (\geq 0) & \text{else if } X^\sharp \text{ and } Y^\sharp \in \{0, \geq 0\} \\ \top_b^\sharp & \text{otherwise} \end{cases} \end{aligned}$$

Operations on signs (cont.)

Abstract test examples:

$$C^\# \llbracket X \leq 0 \rrbracket \mathcal{X}^\# \stackrel{\text{def}}{=} \left(\begin{cases} \mathcal{X}^\#[X \mapsto 0] & \text{if } \mathcal{X}^\#(X) \in \{0; (\geq 0)\} \\ \mathcal{X}^\#[X \mapsto (\leq 0)] & \text{if } \mathcal{X}^\#(X) \in \{\top_b^\#; (\leq 0)\} \\ \perp^\# & \text{otherwise} \end{cases} \right)$$

$$C^\# \llbracket X - c \leq 0 \rrbracket \mathcal{X}^\# \stackrel{\text{def}}{=} \left(\begin{cases} C^\# \llbracket X \leq 0 \rrbracket \mathcal{X}^\# & \text{if } c \leq 0 \\ \mathcal{X}^\# & \text{otherwise} \end{cases} \right)$$

$$C^\# \llbracket X - Y \leq 0 \rrbracket \mathcal{X}^\# \stackrel{\text{def}}{=}$$

$$\left\{ \begin{array}{ll} C^\# \llbracket X \leq 0 \rrbracket \mathcal{X}^\# & \text{if } \mathcal{X}^\#(Y) \in \{0; (\leq 0)\} \\ \mathcal{X}^\# & \text{otherwise} \end{array} \right. \cap^\#$$

$$\left\{ \begin{array}{ll} C^\# \llbracket Y \geq 0 \rrbracket \mathcal{X}^\# & \text{if } \mathcal{X}^\#(X) \in \{0; (\geq 0)\} \\ \mathcal{X}^\# & \text{otherwise} \end{array} \right.$$

Other cases: $C^\# \llbracket A \bowtie 0 \rrbracket \mathcal{X}^\# \stackrel{\text{def}}{=} \mathcal{X}^\#$ is always a sound abstraction.

Iterations in a finite-height lattice

We solve the abstract equation system by iterations in \mathcal{D}^\sharp :

$$\mathcal{X}_\ell^{\sharp 0} = \begin{cases} \top^\sharp & \text{if } \ell = e \\ \perp^\sharp & \text{if } \ell \neq e \end{cases} \quad \mathcal{X}_\ell^{\sharp i+1} = \begin{cases} \top^\sharp & \text{if } \ell = e \\ \bigcup_{(\ell', c, \ell) \in A} C^\sharp[\![c]\!] \mathcal{X}_{\ell'}^{\sharp i} & \text{if } \ell \neq e \end{cases}$$

- if \mathcal{D}^\sharp has finite height, $(\mathcal{X}_\ell^{\sharp i})$ converges after some finite time δ ,
- the limit $\mathcal{X}_\ell^{\sharp \delta}$ satisfies the **abstract equation**:

$$\mathcal{X}_\ell^{\sharp \delta} = \begin{cases} \top^\sharp & \text{if } \ell = e \\ \bigcup_{(\ell', c, \ell) \in A} C^\sharp[\![c]\!] \mathcal{X}_{\ell'}^{\sharp \delta} & \text{if } \ell \neq e \end{cases}$$

Application to the sign domain:

$\mathcal{D}^\sharp = (\mathbb{V} \rightarrow (\mathcal{B}^\sharp \setminus \{\perp_b^\sharp\})) \cup \{\perp_b^\sharp\}$ has finite height.


Optimisation: **chaotic iterations** only update one $\mathcal{X}_\ell^{\sharp i}$ at each step. but do not avoid any program point $\ell \in L$ indefinitely [Bour93a].

Sign analysis example

Example analysis using the simple sign domain:

```
X:=0;
while X<40 do
    X:=X+1
done
```

Program



$$\left\{ \begin{array}{lcl} \mathcal{X}_2^{\sharp i+1} & = & C^\sharp [x := 0] \mathcal{X}_1^{\sharp i} \cup \\ & & C^\sharp [x := x + 1] \mathcal{X}_3^{\sharp i} \\ \mathcal{X}_3^{\sharp i+1} & = & C^\sharp [x < 40] \mathcal{X}_2^{\sharp i} \\ \mathcal{X}_4^{\sharp i+1} & = & C^\sharp [x \geq 40] \mathcal{X}_2^{\sharp i} \end{array} \right.$$

Iteration system


ℓ	$\mathcal{X}_\ell^{\sharp 0}$	$\mathcal{X}_\ell^{\sharp 1}$	$\mathcal{X}_\ell^{\sharp 2}$	$\mathcal{X}_\ell^{\sharp 3}$	$\mathcal{X}_\ell^{\sharp 4}$	$\mathcal{X}_\ell^{\sharp 5}$
1	T^\sharp	T^\sharp	T^\sharp	T^\sharp	T^\sharp	T^\sharp
2	\perp^\sharp	$x = 0$	$x = 0$	$x \geq 0$	$x \geq 0$	$x \geq 0$
3	\perp^\sharp	\perp^\sharp	$x = 0$	$x = 0$	$x \geq 0$	$x \geq 0$
4	\perp^\sharp	\perp^\sharp	$x = 0$	$x = 0$	$x \geq 0$	$x \geq 0$

Iterations

The Constant Domain

The constant lattice

Hasse diagram:



$$\mathcal{B}^\sharp = \mathbb{I} \cup \{\top_b^\sharp; \perp_b^\sharp\}$$

The lattice is flat but infinite.

Operations on constants

Abstraction α : there is a Galois connection:

$$\alpha_b(S) \stackrel{\text{def}}{=} \begin{cases} \perp_b^\# & \text{if } S = \emptyset \\ c & \text{if } S = \{c\} \\ \top_b^\# & \text{otherwise} \end{cases}$$

Derived abstract arithmetic operators:

$$\begin{aligned} c_b^\# &\stackrel{\text{def}}{=} c \\ (X^\#) +_b^\# (Y^\#) &\stackrel{\text{def}}{=} \begin{cases} \perp_b^\# & \text{if } X^\# \text{ or } Y^\# = \perp_b^\# \\ \top_b^\# & \text{else if } X^\# \text{ or } Y^\# = \top_b^\# \\ X^\# + Y^\# & \text{otherwise} \end{cases} \\ (X^\#) \times_b^\# (Y^\#) &\stackrel{\text{def}}{=} \begin{cases} \perp_b^\# & \text{if } X^\# \text{ or } Y^\# = \perp_b^\# \\ 0 & \text{else if } X^\# \text{ or } Y^\# = 0 \\ \top_b^\# & \text{else if } X^\# \text{ or } Y^\# = \top_b^\# \\ X^\# \times Y^\# & \text{otherwise} \end{cases} \end{aligned}$$

Operations on constants (cont.)

Abstract test examples:

$$C^\# \llbracket X - c = 0 \rrbracket \mathcal{X}^\# \stackrel{\text{def}}{=} \begin{cases} \perp_b^\# & \text{if } \mathcal{X}^\#(X) \notin \{c, \top_b^\#\} \\ \mathcal{X}^\#[X \mapsto c] & \text{otherwise} \end{cases}$$

$$\begin{aligned} C^\# \llbracket X - Y - c = 0 \rrbracket \mathcal{X}^\# &\stackrel{\text{def}}{=} \\ &\left(\begin{cases} C^\# \llbracket X - (\mathcal{X}^\#(Y) + c) = 0 \rrbracket \mathcal{X}^\# & \text{if } \mathcal{X}^\#(Y) \notin \{\perp_b^\#, \top_b^\#\} \\ \mathcal{X}^\# & \text{otherwise} \end{cases} \right) \cap^\# \\ &\left(\begin{cases} C^\# \llbracket Y - (\mathcal{X}^\#(X) - c) = 0 \rrbracket \mathcal{X}^\# & \text{if } \mathcal{X}^\#(X) \notin \{\perp_b^\#, \top_b^\#\} \\ \mathcal{X}^\# & \text{otherwise} \end{cases} \right) \end{aligned}$$

Constant analysis example

\mathcal{B}^\sharp has finite height, the $(\mathcal{X}_\ell^{\sharp i})$ converge in finite time.
 (even though \mathcal{B}^\sharp is infinite...)

Analysis example:

```
X:=0; Y:=10;
while X<100 do
    Y:=Y-3;
    X:=X+Y; •
    Y:=Y+3
done
```

The constant analysis finds, at •, the invariant: $\begin{cases} X = T_b^\sharp \\ Y = 7 \end{cases}$


Note: the analysis can find constants that do not appear syntactically in the program.

Interval domain

The interval lattice

Introduced by [Cous76].

$$\mathcal{B}^\sharp \stackrel{\text{def}}{=} \{ [a, b] \mid a \in \mathbb{I} \cup \{-\infty\}, b \in \mathbb{I} \cup \{+\infty\}, a \leq b \} \cup \{ \perp_b^\sharp \}$$



Note: intervals are open at infinite bounds $+\infty, -\infty$.

The interval lattice (cont.)

Galois connection (α_b, γ_b):

$$\begin{aligned}\gamma_b([a, b]) &\stackrel{\text{def}}{=} \{x \in \mathbb{I} \mid a \leq x \leq b\} \\ \alpha_b(\mathcal{X}) &\stackrel{\text{def}}{=} \begin{cases} \perp_b^\sharp & \text{if } \mathcal{X} = \emptyset \\ [\min \mathcal{X}, \max \mathcal{X}] & \text{otherwise} \end{cases}\end{aligned}$$

If $\mathbb{I} = \mathbb{Q}$, α_b is not always defined...

Partial order:

$$\begin{aligned}[a, b] \subseteq_b^\sharp [c, d] &\stackrel{\text{def}}{\iff} a \geq c \text{ and } b \leq d \\ T_b^\sharp &\stackrel{\text{def}}{=}] -\infty, +\infty[\\ [a, b] \cup_b^\sharp [c, d] &\stackrel{\text{def}}{=} [\min(a, c), \max(b, d)] \\ [a, b] \cap_b^\sharp [c, d] &\stackrel{\text{def}}{=} \begin{cases} [\max(a, c), \min(b, d)] & \text{if } \max \leq \min \\ \perp_b^\sharp & \text{otherwise} \end{cases}\end{aligned}$$

If $\mathbb{I} \neq \mathbb{Q}$, it is a **complete lattice**.

Interval abstract arithmetic operators

$[c, c']_b^\#$	$\stackrel{\text{def}}{=}$	$[c, c']$
$-_b^\# [a, b]$	$\stackrel{\text{def}}{=}$	$[-b, -a]$
$[a, b] +_b^\# [c, d]$	$\stackrel{\text{def}}{=}$	$[a + c, b + d]$
$[a, b] -_b^\# [c, d]$	$\stackrel{\text{def}}{=}$	$[a - d, b - c]$
$[a, b] \times_b^\# [c, d]$	$\stackrel{\text{def}}{=}$	$[\min(ac, ad, bc, bd), \max(ac, ad, bc, bd)]$
$[a, b] /_b^\# [c, d]$	$\stackrel{\text{def}}{=}$	$\begin{cases} \perp_b^\# & \text{if } c = d = 0 \\ [\min(a/c, a/d, b/c, b/d), \max(a/c, a/d, b/c, b/d)] & \text{else if } 0 \leq c \\ [-b, -a]/_b^\# [-d, -c] & \text{else if } d \leq 0 \\ ([a, b]/_b^\# [c, 0]) \cup_b^\# ([a, b]/_b^\# [0, d]) & \text{otherwise} \end{cases}$

where $\left| \begin{array}{l} \pm\infty \times 0 = 0, \quad 0/0 = 0, \quad \forall x, x/\pm\infty = 0 \\ \forall x > 0, x/0 = +\infty, \quad \forall x < 0, x/0 = -\infty \end{array} \right.$

Operators are **strict**: $-_b^\# \perp_b^\# = \perp_b^\#$, $[a, b] +_b^\# \perp_b^\# = \perp_b^\#$, etc.

Interval abstract tests (non-generic)

If $\mathcal{X}^\sharp(X) = [a, b]$ and $\mathcal{X}^\sharp(Y) = [c, d]$, we can define:

$$\begin{aligned} C^\sharp[\llbracket X - c \leq 0 \rrbracket] \mathcal{X}^\sharp &\stackrel{\text{def}}{=} \begin{cases} \perp^\sharp & \text{if } a > c \\ \mathcal{X}^\sharp[\textcolor{red}{X \mapsto [a, \min(b, c)]}] & \text{otherwise} \end{cases} \\ C^\sharp[\llbracket X - Y \leq 0 \rrbracket] \mathcal{X}^\sharp &\stackrel{\text{def}}{=} \begin{cases} \perp^\sharp & \text{if } a > d \\ \mathcal{X}^\sharp[\textcolor{red}{X \mapsto [a, \min(b, d)]}, \textcolor{red}{Y \mapsto [\max(c, a), d]}] & \text{otherwise} \end{cases} \\ C^\sharp[\llbracket e \bowtie 0 \rrbracket] \mathcal{X}^\sharp &\stackrel{\text{def}}{=} \mathcal{X}^\sharp \quad \text{otherwise} \end{aligned}$$

Note: fall-back operators

- $C^\sharp[\llbracket e \bowtie 0 \rrbracket] \mathcal{X}^\sharp = \mathcal{X}^\sharp$ is always sound.
- $C^\sharp[\llbracket X := e \rrbracket] \mathcal{X}^\sharp = \mathcal{X}^\sharp[X \mapsto \top_b^\sharp]$ is always sound.

Backward arithmetic and comparison operators

Given: sound backward arithmetic and comparison operators
that refine their argument given a result.

i.e.

$$\mathcal{X}_b^{\#'} = \overleftarrow{\leq}_b^\sharp(\mathcal{X}_b^\sharp) \implies \{x \in \gamma_b(\mathcal{X}_b^\sharp) \mid x \leq 0\} \subseteq \gamma_b(\mathcal{X}_b^{\#'}) \subseteq \gamma_b(\mathcal{X}_b^\sharp)$$

$$\mathcal{X}_b^{\#'} = \overleftarrow{-}_b^\sharp(\mathcal{X}_b^\sharp, \mathcal{R}_b^\sharp) \implies \{x \mid x \in \gamma_b(\mathcal{X}_b^\sharp), -x \in \gamma_b(\mathcal{R}_b^\sharp)\} \subseteq \gamma_b(\mathcal{X}_b^{\#'}) \subseteq \gamma_b(\mathcal{X}_b^\sharp)$$

$$(\mathcal{X}_b^{\#'}, \mathcal{Y}_b^{\#'}) = \overleftarrow{+}_b^\sharp(\mathcal{X}_b^\sharp, \mathcal{Y}_b^\sharp, \mathcal{R}_b^\sharp) \implies \begin{aligned} \{x \in \gamma_b(\mathcal{X}_b^\sharp) \mid \exists y \in \gamma_b(\mathcal{Y}_b^\sharp), x + y \in \gamma_b(\mathcal{R}_b^\sharp)\} &\subseteq \gamma_b(\mathcal{X}_b^{\#'}) \subseteq \gamma_b(\mathcal{X}_b^\sharp) \\ \{y \in \gamma_b(\mathcal{Y}_b^\sharp) \mid \exists x \in \gamma_b(\mathcal{X}_b^\sharp), x + y \in \gamma_b(\mathcal{R}_b^\sharp)\} &\subseteq \gamma_b(\mathcal{Y}_b^{\#'}) \subseteq \gamma_b(\mathcal{Y}_b^\sharp) \end{aligned}$$

⋮

Note: best backward operators can be designed with α_b :

e.g. for $\overleftarrow{+}_b^\sharp$: $\mathcal{X}_b^{\#'} = \alpha_b(\{x \in \gamma_b(\mathcal{X}_b^\sharp) \mid \exists y \in \gamma_b(\mathcal{Y}_b^\sharp), x + y \in \gamma_b(\mathcal{R}_b^\sharp)\})$

Generic backward operator construction

Synthesizing (non optimal) **backward** arithmetic operators from **forward** arithmetic operators.

$$\overleftarrow{\leq}_b^\sharp(\mathcal{X}_b^\sharp) \stackrel{\text{def}}{=} \mathcal{X}_b^\sharp \cap_b^\sharp] -\infty, 0]_b^\sharp$$

$$\overleftarrow{-}_b^\sharp(\mathcal{X}_b^\sharp, \mathcal{R}_b^\sharp) \stackrel{\text{def}}{=} \mathcal{X}_b^\sharp \cap_b^\sharp (-_b^\sharp \mathcal{R}_b^\sharp)$$

$$\overleftarrow{+}_b^\sharp(\mathcal{X}_b^\sharp, \mathcal{Y}_b^\sharp, \mathcal{R}_b^\sharp) \stackrel{\text{def}}{=} (\mathcal{X}_b^\sharp \cap_b^\sharp (\mathcal{R}_b^\sharp -_b^\sharp \mathcal{Y}_b^\sharp), \mathcal{Y}_b^\sharp \cap_b^\sharp (\mathcal{R}_b^\sharp -_b^\sharp \mathcal{X}_b^\sharp))$$

$$\overleftarrow{-}_b^\sharp(\mathcal{X}_b^\sharp, \mathcal{Y}_b^\sharp, \mathcal{R}_b^\sharp) \stackrel{\text{def}}{=} (\mathcal{X}_b^\sharp \cap_b^\sharp (\mathcal{R}_b^\sharp +_b^\sharp \mathcal{Y}_b^\sharp), \mathcal{Y}_b^\sharp \cap_b^\sharp (\mathcal{X}_b^\sharp -_b^\sharp \mathcal{R}_b^\sharp))$$

$$\overleftarrow{\times}_b^\sharp(\mathcal{X}_b^\sharp, \mathcal{Y}_b^\sharp, \mathcal{R}_b^\sharp) \stackrel{\text{def}}{=} (\mathcal{X}_b^\sharp \cap_b^\sharp (\mathcal{R}_b^\sharp /_b^\sharp \mathcal{Y}_b^\sharp), \mathcal{Y}_b^\sharp \cap_b^\sharp (\mathcal{R}_b^\sharp /_b^\sharp \mathcal{X}_b^\sharp))$$

$$\overleftarrow{/}_b^\sharp(\mathcal{X}_b^\sharp, \mathcal{Y}_b^\sharp, \mathcal{R}_b^\sharp) \stackrel{\text{def}}{=} (\mathcal{X}_b^\sharp \cap_b^\sharp (\mathcal{S}_b^\sharp \times_b^\sharp \mathcal{Y}_b^\sharp), \mathcal{Y}_b^\sharp \cap_b^\sharp ((\mathcal{X}_b^\sharp /_b^\sharp \mathcal{S}_b^\sharp) \cup_b^\sharp [0, 0]_b^\sharp))$$

where $\mathcal{S}_b^\sharp = \begin{cases} \mathcal{R}_b^\sharp & \text{if } \mathbb{I} \neq \mathbb{Z} \\ \mathcal{R}_b^\sharp +_b^\sharp [-1, 1]_b^\sharp & \text{if } \mathbb{I} = \mathbb{Z} \text{ (as / rounds)} \end{cases}$

Note: $\overleftarrow{\diamond}_b^\sharp(\mathcal{X}_b^\sharp, \mathcal{Y}_b^\sharp, \mathcal{R}_b^\sharp) = (\mathcal{X}_b^\sharp, \mathcal{Y}_b^\sharp)$ is always sound (no refinement).

Interval backward operators

Applying the generic construction to the interval domain:

$$\overleftarrow{\leq}_b^\sharp([a, b]) \stackrel{\text{def}}{=} \begin{cases} [a, \min(b, 0)] & \text{if } a \geq 0 \\ \perp_b^\sharp & \text{otherwise} \end{cases}$$

$$\overleftarrow{\sqsubseteq}_b^\sharp([a, b], [r, s]) \stackrel{\text{def}}{=} [a, b] \cap_b^\sharp [-s, -r]$$

$$\overleftarrow{+}_b^\sharp([a, b], [c, d], [r, s]) \stackrel{\text{def}}{=} ([a, b] \cap_b^\sharp [r - d, s - c], [c, d] \cap_b^\sharp [r - b, s - a])$$

...

Generic non-relational abstract test

Abstract test algorithm: $C^\sharp[e \bowtie 0] \mathcal{X}^\sharp$

Associate to each expression node an abstract value in \mathcal{B}^\sharp using **two** traversals of the expression tree:

- first, a bottom-up **evaluation** using forward operators \diamond_b^\sharp ,
- apply $\overleftarrow{\diamond} 0_b^\sharp$ to the root,
- then, a top-down **refinement** using backward operators $\overleftarrow{\diamond}_b^\sharp$.

For each expression leaf, we get an abstract value \mathcal{V}_b^\sharp :


- for a variable V , replace $\mathcal{X}^\sharp(V)$ with $\mathcal{X}^\sharp(V) \cap_b^\sharp \mathcal{V}_b^\sharp$,
- for a constant $[c, c']$, check that $[c, c']_b^\sharp \cap_b^\sharp \mathcal{V}_b^\sharp \neq \perp_b^\sharp$,
- \implies return \perp^\sharp if some $\cap_b^\sharp \mathcal{V}_b^\sharp$ returns \perp_b^\sharp .

Improvement: local iterations [Gran92].

Interval test example

Example: $C^\sharp \llbracket X + Y - Z \leq 0 \rrbracket \mathcal{X}^\sharp$

with $\mathcal{X}^\sharp = \{ X \mapsto [0, 10], Y \mapsto [2, 10], Z \mapsto [3, 5] \}$



Generic non-relational backward assignment

Abstract function: $C^\# \llbracket \overleftarrow{V := e} \rrbracket (\mathcal{X}^\#, \mathcal{R}^\#)$

over-approximates $\gamma(\mathcal{X}^\#) \cap C \llbracket \overleftarrow{V := e} \rrbracket \gamma(\mathcal{R}^\#)$ given:

- an abstract pre-condition $\mathcal{X}^\#$ to refine,
- according to a given abstract post-condition $\mathcal{R}^\#$.

Algorithm: similar to the abstract test

- annotate **variable leaves** based on $\mathcal{X}^\# \cap^\# (\mathcal{R}^\# [V \mapsto T_b^\#])$;
- **evaluate** bottom-up using forward operators $\diamond_b^\#$;
- **intersect** the root with $\mathcal{R}^\#(V)$;
- **refine** top-down using backward operators $\overleftarrow{\diamond}_b^\#$;
- **return** $\mathcal{X}^\#$ intersected with values at variable leaves.


Note:

- local iterations can also be used
- fallback: $C^\# \llbracket \overleftarrow{V := e} \rrbracket (\mathcal{X}^\#, \mathcal{R}^\#) = \mathcal{X}^\# \cap^\# (\mathcal{R}^\# [V \mapsto T_b^\#])$

Interval backward assignment example

Example: $C^\sharp \llbracket \overleftarrow{X := X + Y - Z} \rrbracket (\mathcal{X}^\sharp, \mathcal{R}^\sharp)$

with $\mathcal{X}^\sharp = \{ X \mapsto [0, 10], Y \mapsto [2, 10], Z \mapsto [3, 5] \}$
 and $\mathcal{R}^\sharp = \{ X \mapsto [-6, 6], Y \mapsto [2, 10], Z \mapsto [2, 6] \}$



Widening

\mathcal{B}^\sharp has an **infinite height**, so does \mathcal{D}^\sharp .

Naive iterations $(\mathcal{X}_\ell^{\sharp i})$ may not converge in finite time.

We will use a **widening operator** ∇ .

Definition: widening ∇

Binary operator $\mathcal{D}^\sharp \times \mathcal{D}^\sharp \rightarrow \mathcal{D}^\sharp$ such that:

- $(\mathcal{X}^\sharp \cup^\sharp \mathcal{Y}^\sharp) \subseteq^\sharp (\mathcal{X}^\sharp \nabla \mathcal{Y}^\sharp)$,
- for all sequences (\mathcal{X}_i^\sharp) , the increasing sequence (\mathcal{Y}_i^\sharp)

defined by
$$\begin{cases} \mathcal{Y}_0^\sharp & \stackrel{\text{def}}{=} \mathcal{X}_0^\sharp \\ \mathcal{Y}_{i+1}^\sharp & \stackrel{\text{def}}{=} \mathcal{Y}_i^\sharp \nabla \mathcal{X}_{i+1}^\sharp \end{cases}$$

is **stationary**, i.e., $\exists i, \mathcal{Y}_{i+1}^\sharp = \mathcal{Y}_i^\sharp$.

Iterations with widening

Let us take a set $\mathcal{W} \subseteq L$ of **widening points** such that every CFG cycle has a point in \mathcal{W} .

We then compute the sequence:

$$\left\{ \begin{array}{lcl} \mathcal{X}_e^{\#0} & \stackrel{\text{def}}{=} & T^\# \\ \mathcal{X}_{\ell \neq e}^{\#0} & \stackrel{\text{def}}{=} & \perp^\# \end{array} \right. \quad \mathcal{X}_\ell^{\#\ell+1} \stackrel{\text{def}}{=} \left\{ \begin{array}{ll} T^\# & \text{if } \ell = e \\ \bigcup_{(\ell', c, \ell) \in A} C^\# \llbracket c \rrbracket \mathcal{X}_{\ell'}^{\#\ell'} & \text{if } \ell \notin \mathcal{W} \\ \mathcal{X}_\ell^{\#\ell} \triangleright \bigcup_{(\ell', c, \ell) \in A} C^\# \llbracket c \rrbracket \mathcal{X}_{\ell'}^{\#\ell} & \text{if } \ell \in \mathcal{W} \end{array} \right.$$

The following holds:

- $(\mathcal{X}_\ell^{\#\ell})$ is increasing and converges after some finite time δ ,
- the fixpoint $\mathcal{X}_\ell^{\#\delta}$ satisfies:

$$\mathcal{X}_\ell^{\#\delta} \supseteq^\# \left\{ \begin{array}{ll} T^\# & \text{if } \ell = e \\ \bigcup_{(\ell', c, \ell) \in A} C^\# \llbracket c \rrbracket \mathcal{X}_{\ell'}^{\#\delta} & \text{if } \ell \neq e \end{array} \right.$$

⇒ this gives us an **effective analysis algorithm**.

Interval widening

Widening on non-relational domains:

Given a value widening $\nabla_b: \mathcal{B}^\# \times \mathcal{B}^\# \rightarrow \mathcal{B}^\#$,

we extend it point-wisely into a widening $\nabla: \mathcal{D}^\# \times \mathcal{D}^\# \rightarrow \mathcal{D}^\#$:

$$\mathcal{X}^\# \nabla \mathcal{Y}^\# \stackrel{\text{def}}{=} \lambda v. (\mathcal{X}^\#(v) \nabla_b \mathcal{Y}^\#(v))$$


Interval widening example:

$$\begin{array}{lllll} \perp^\# & \nabla_b & X^\# & \stackrel{\text{def}}{=} & X^\# \\ [a; b] & \nabla_b & [c; d] & \stackrel{\text{def}}{=} & \left[\left\{ \begin{array}{ll} a & \text{if } a \leq c \\ -\infty & \text{otherwise} \end{array} \right. ; \left\{ \begin{array}{ll} b & \text{if } b \geq d \\ +\infty & \text{otherwise} \end{array} \right. \right] \end{array}$$

Unstable bounds are set to $\pm\infty$.

Analysis with widening example

Analysis example with $\mathcal{W} = \{2\}$



ℓ	$\mathcal{X}_\ell^{\#0}$	$\mathcal{X}_\ell^{\#1}$	$\mathcal{X}_\ell^{\#2}$	$\mathcal{X}_\ell^{\#3}$	$\mathcal{X}_\ell^{\#4}$	$\mathcal{X}_\ell^{\#5}$
1	$T^\#$	$T^\#$	$T^\#$	$T^\#$	$T^\#$	$T^\#$
2 \heartsuit	$\perp^\#$	$= 0$	$= 0$	≥ 0	≥ 0	≥ 0
3	$\perp^\#$	$\perp^\#$	$= 0$	$= 0$	$\in [0; 39]$	$\in [0; 39]$
4	$\perp^\#$	$\perp^\#$	$\perp^\#$	$\perp^\#$	≥ 40	≥ 40

More precisely, at the widening point:


$$\begin{array}{llll}
 \mathcal{X}_2^{\#1} &= \perp^\# & \nabla_b ([0; 0] \cup_b^\# \perp^\#) &= \perp^\# & \nabla_b [0; 0] &= [0; 0] \\
 \mathcal{X}_2^{\#2} &= [0; 0] & \nabla_b ([0, 0] \cup_b^\# \perp^\#) &= [0; 0] & \nabla_b [0; 0] &= [0; 0] \\
 \mathcal{X}_2^{\#3} &= [0; 0] & \nabla_b ([0, 0] \cup_b^\# [1; 1]) &= [0; 0] & \nabla_b [0; 1] &= [0; +\infty[\\
 \mathcal{X}_2^{\#4} &= [0; +\infty[\nabla_b ([0, 0] \cup_b^\# [1; 40]) &= [0; +\infty[\nabla_b [0; 40] &= [0; +\infty[
 \end{array}$$

Note that the most precise interval abstraction would be $x \in [0; 40]$ at 2, and $x = 40$ at 4.

Influence of the widening point and iteration strategy

Changing \mathcal{W} changes the analysis result

Example: The analysis is less precise for $\mathcal{W} = \{3\}$.



ℓ	$\mathcal{X}_\ell^{\#1}$	$\mathcal{X}_\ell^{\#2}$	$\mathcal{X}_\ell^{\#3}$	$\mathcal{X}_\ell^{\#4}$	$\mathcal{X}_\ell^{\#5}$	$\mathcal{X}_\ell^{\#6}$
1	$\top^\#$	$\top^\#$	$\top^\#$	$\top^\#$	$\top^\#$	$\top^\#$
2	$= 0$	$= 0$	$\in [0; 1]$	$\in [0; 1]$	≥ 0	≥ 0
3 ▽	$\perp^\#$	$= 0$	$= 0$	≥ 0	≥ 0	≥ 0
4	$\perp^\#$	$\perp^\#$	$\perp^\#$	$\perp^\#$	$\perp^\#$	≥ 40

Intuition: extrapolation to $+\infty$ is no longer contained by the tests.

Chaotic iterations

Changing the iteration order changes the analysis result in the presence of a widening.

Narrowing

Using a widening makes the analysis less precise.

Some precision can be retrieved by using a **narrowing** Δ .

Definition: narrowing Δ

Binary operator $\mathcal{D}^\# \times \mathcal{D}^\# \rightarrow \mathcal{D}^\#$ such that:

- $(\mathcal{X}^\# \cap^\# \mathcal{Y}^\#) \subseteq^\# (\mathcal{X}^\# \Delta \mathcal{Y}^\#) \subseteq^\# \mathcal{X}^\#$,
- for all sequences $(\mathcal{X}_i^\#)$, the decreasing sequence $(\mathcal{Y}_i^\#)$
defined by
$$\begin{cases} \mathcal{Y}_0^\# & \stackrel{\text{def}}{=} \mathcal{X}_0^\# \\ \mathcal{Y}_{i+1}^\# & \stackrel{\text{def}}{=} \mathcal{Y}_i^\# \Delta \mathcal{X}_{i+1}^\# \end{cases}$$
 is **stationary**.

This is not the dual of a widening!

Narrowing examples

Trivial narrowing:

$\mathcal{X}^\# \Delta \mathcal{Y}^\# \stackrel{\text{def}}{=} \mathcal{X}^\#$ is a correct narrowing.

Finite-time intersection narrowing:

$$\mathcal{X}^{\#i} \Delta \mathcal{Y}^\# \stackrel{\text{def}}{=} \begin{cases} \mathcal{X}^{\#i} \cap^\# \mathcal{Y}^\# & \text{if } i \leq N \\ \mathcal{X}^{\#i} & \text{if } i > N \end{cases}$$

Interval narrowing:

$$[a; b] \Delta_b [c; d] \stackrel{\text{def}}{=} \left[\begin{cases} c & \text{if } a = -\infty \\ a & \text{otherwise} \end{cases} ; \begin{cases} d & \text{if } b = +\infty \\ b & \text{otherwise} \end{cases} \right]$$

(refine only infinite bounds)

Point-wise extension to $\mathcal{D}^\#$: $\mathcal{X}^\# \Delta \mathcal{Y}^\# \stackrel{\text{def}}{=} \lambda v. (\mathcal{X}^\#(v) \Delta_b \mathcal{Y}^\#(v))$

Iterations with narrowing

Let $\mathcal{X}_\ell^{\#\delta}$ be the result after widening stabilisation, i.e.:

$$\mathcal{X}_\ell^{\#\delta} \supseteq^\# \begin{cases} T^\# & \text{if } \ell = e \\ \bigcup_{(\ell', c, \ell) \in A}^\# C^\# [c] \mathcal{X}_{\ell'}^{\#\delta} & \text{if } \ell \neq e \end{cases}$$


The following sequence is computed:

$$\mathcal{Y}_\ell^{\#0} \stackrel{\text{def}}{=} \mathcal{X}_\ell^{\#\delta} \quad \mathcal{Y}_\ell^{\#i+1} \stackrel{\text{def}}{=} \begin{cases} T^\# & \text{if } \ell = e \\ \bigcup_{(\ell', c, \ell) \in A}^\# C^\# [c] \mathcal{Y}_{\ell'}^{\#i} & \text{if } \ell \notin \mathcal{W} \\ \mathcal{Y}_\ell^{\#i} \Delta \bigcup_{(\ell', c, \ell) \in A}^\# C^\# [c] \mathcal{Y}_{\ell'}^{\#i} & \text{if } \ell \in \mathcal{W} \end{cases}$$

- the sequence $(\mathcal{Y}_\ell^{\#i})$ is **decreasing** and **converges in finite time**,
- all $(\mathcal{Y}_\ell^{\#i})$ are **solutions of the abstract semantical system**.

Analysis with narrowing example

Example with $\mathcal{W} = \{2\}$



ℓ	$\mathcal{Y}_\ell^{\sharp 0}$	$\mathcal{Y}_\ell^{\sharp 1}$	$\mathcal{Y}_\ell^{\sharp 2}$	$\mathcal{Y}_\ell^{\sharp 3}$
1	\top^\sharp	\top^\sharp	\top^\sharp	\top^\sharp
2 Δ	≥ 0	$\in [0; 40]$	$\in [0; 40]$	$\in [0; 40]$
3	$\in [0; 39]$	$\in [0; 39]$	$\in [0; 39]$	$\in [0; 39]$
4	≥ 40	≥ 40	$= 40$	$= 40$

Narrowing at 2 gives:


$$\begin{aligned}\mathcal{Y}_2^{\sharp 1} &= [0; +\infty[\Delta_b ([0; 0] \cup_b^{\sharp} [1; 40]) = [0; +\infty[\Delta_b [0; 40] = [0; 40] \\ \mathcal{Y}_2^{\sharp 2} &= [0; 40] \Delta_b ([0, 0] \cup_b^{\sharp} [1; 40]) = [0; 40] \Delta_b [0; 40] = [0; 40]\end{aligned}$$

Then $\mathcal{Y}_2^{\sharp 2} : x \in [0, 40]$ gives $\mathcal{Y}_4^{\sharp 3} : x = 40$.

We found the most precise invariants!

Improving the widening

Example of imprecise analysis



ℓ	intervals with ∇_b	extended signs	intervals with ∇'_b
1	$T^\#$	$T^\#$	$T^\#$
2 $\textcolor{red}{\nabla}$	$X \leq 40$	$X \geq 0$	$X \in [0; 40]$
3	$X \leq 40$	$X > 0$	$X \in [0; 40]$
4	$X = 0$	$X = 0$	$X = 0$

The interval domain cannot prove that $X \geq 0$ at 2, while the (less powerful) sign domain can!

Solution: improve the interval widening

$$[a; b] \textcolor{blue}{\nabla'_b} [c; d] \stackrel{\text{def}}{=} \left\{ \begin{array}{ll} a & \text{if } a \leq c \\ \textcolor{red}{0} & \text{if } 0 \leq c < a \\ -\infty & \text{otherwise} \end{array} ; \right\} \left\{ \begin{array}{ll} b & \text{if } b \geq d \\ \textcolor{red}{0} & \text{if } 0 \geq b > d \\ +\infty & \text{otherwise} \end{array} \right\}$$

(∇'_b checks the stability of 0)

Widening with thresholds

Analysis problem:

```
X:=0;
while • 1=1 do
    if [0,1]=0 then
        X:=X+1;
        if X>69 then X:=0 fi
    fi
done
```

We wish to prove that $X \in [0; 69]$ at •.

- Widening at • finds the loop invariant $X \in [0; +\infty[$.
 $\mathcal{X}_\bullet^\# = [0; 0] \nabla_b ([0; 0] \cup^\# [0; 1]) = [0; 0] \nabla_b [0; 1] = [0; +\infty[$

- Narrowing is unable to refine the invariant:
 $\mathcal{Y}_\bullet^\# = [0; +\infty[\Delta_b ([0; 0] \cup^\# [0; +\infty[) = [0; +\infty[$
 (the code that limits X is not executed at every loop iteration)

Widening with thresholds (cont.)

Solution:

Choose a **finite set T of thresholds**, containing $+\infty$ and $-\infty$.

Definition: widening with thresholds ∇_b^T

$$[a; b] \nabla_b^T [c; d] \stackrel{\text{def}}{=} \left[\begin{cases} a & \text{if } a \leq c \\ \max\{x \in T \mid x \leq c\} & \text{otherwise} \end{cases} \right] ,$$

$$\left[\begin{cases} b & \text{if } b \geq d \\ \min\{x \in T \mid x \geq d\} & \text{otherwise} \end{cases} \right]$$

The widening tests and stops at the first stable bound in T .

Widening with thresholds (cont.)

Applications:

- On the previous example, we find:

$$x \in [0; \min\{x \in T \mid x \geq 69\}].$$

- Useful when it is **easy to find a 'good' set T .**

Example: array bound-checking

- Useful if an **over-approximation of the bound is sufficient.**

Example: arithmetic overflow checking

Limitations: only works if some non- ∞ bound in T is stable.

Example: with $T = \{5; 15\}$

<pre>while 1=1 do X:=X+1; if X>10 then X=0 fi done</pre>	<pre>while 1=1 do X:=X+1; if X<>10 then X=0 fi done</pre>
---	---

15 is stable


<pre>while 1=1 do X:=X+1; if X<>10 then X=0 fi done</pre>

no stable bound

Congruence domains

The integer congruence lattice

$$\mathcal{B}^\sharp \stackrel{\text{def}}{=} \{ (a\mathbb{Z} + b) \mid a \in \mathbb{N}^* \cup \{\infty\}, b \in \mathbb{Z} \} \cup \{ \perp_b^\sharp \}$$



Introduced by Granger [Gran89].

We take $\mathbb{I} = \mathbb{Z}$.

The integer congruence lattice (cont.)

Concretization:

$$\gamma_b(\mathcal{X}_b^\#) \stackrel{\text{def}}{=} \begin{cases} \{ak + b \mid k \in \mathbb{Z}\} & \text{if } \mathcal{X}_b^\# = (a\mathbb{Z} + b), a \neq \infty \\ \{b\} & \text{if } \mathcal{X}_b^\# = (\infty\mathbb{Z} + b) \\ \emptyset & \text{if } \mathcal{X}_b^\# = \perp_b^\# \end{cases}$$

γ_b is **not injective**: $\gamma_b(2\mathbb{Z} + 1) = \gamma_b(2\mathbb{Z} + 3)$.

Definitions:

Given $x, x' \in \mathbb{Z}$, $y, y' \in \mathbb{N}^* \cup \{\infty\}$, we define:

- y/y' $\stackrel{\text{def}}{\iff}$ y divides y' ($\exists k \in \mathbb{N}^*$, $y' = ky$) or $y' = \infty$
- $x \equiv x' [y]$ $\stackrel{\text{def}}{\iff}$ $x \neq x'$ and $y/|x - x'|$, or $x = x'$
- \vee is the LCM, extended with $y \vee \infty \stackrel{\text{def}}{=} \infty \vee y \stackrel{\text{def}}{=} \infty$
- \wedge is the GCD, extended with $y \wedge \infty \stackrel{\text{def}}{=} \infty \wedge y \stackrel{\text{def}}{=} y$

$(\mathbb{N}^* \cup \{\infty\}, /, \vee, \wedge, 1, \infty)$ is a **complete distributive lattice**.

Abstract congruence operators

Complete lattice structure on \mathcal{B}^\sharp :

- $(a\mathbb{Z} + b) \subseteq_b^\sharp (a'\mathbb{Z} + b') \stackrel{\text{def}}{\iff} a'/a \text{ and } b \equiv b' [a']$
- $T_b^\sharp \stackrel{\text{def}}{=} (1\mathbb{Z} + 0)$
- $(a\mathbb{Z} + b) \cup_b^\sharp (a'\mathbb{Z} + b') \stackrel{\text{def}}{=} (a \wedge a' \wedge |b - b'|)\mathbb{Z} + b$
- $(a\mathbb{Z} + b) \cap_b^\sharp (a'\mathbb{Z} + b') \stackrel{\text{def}}{=} \begin{cases} (a \vee a')\mathbb{Z} + b'' & \text{if } b \equiv b' [a \wedge a'] \\ \perp_b^\sharp & \text{otherwise} \end{cases}$
 b'' such that $b'' \equiv b [a \vee a'] \equiv b' [a \vee a']$ is given by Bezout's Theorem.

Galois connection: $\alpha_b(\mathcal{X}) = \bigcup_{c \in \mathcal{X}}^\sharp (\infty\mathbb{Z} + c)$

(up to equivalence $a\mathbb{Z} + b \equiv a'\mathbb{Z} + b' \stackrel{\text{def}}{\iff} a = a' \wedge b \equiv b' [a]$)

Abstract congruence operators (cont.)

Arithmetic operators:

$$[c, c']_b^\sharp \stackrel{\text{def}}{=} \begin{cases} \infty\mathbb{Z} + c & \text{if } c = c' \\ T_b^\sharp & \text{otherwise} \end{cases}$$

$$-_b^\sharp (a\mathbb{Z} + b) \stackrel{\text{def}}{=} a\mathbb{Z} + (-b)$$

$$(a\mathbb{Z} + b) +_b^\sharp (a'\mathbb{Z} + b') \stackrel{\text{def}}{=} (a \wedge a')\mathbb{Z} + (b + b')$$

$$(a\mathbb{Z} + b) -_b^\sharp (a'\mathbb{Z} + b') \stackrel{\text{def}}{=} (a \wedge a')\mathbb{Z} + (b - b')$$

$$(a\mathbb{Z} + b) \times_b^\sharp (a'\mathbb{Z} + b') \stackrel{\text{def}}{=} (aa' \wedge ab' \wedge a'b)\mathbb{Z} + bb'$$

$$(a\mathbb{Z} + b) /_b^\sharp (a'\mathbb{Z} + b') \stackrel{\text{def}}{=}$$

$$\begin{cases} \perp_b^\sharp & \text{if } a'\mathbb{Z} + b' = \infty\mathbb{Z} + 0 \\ (a/|b'|)\mathbb{Z} + (b/b') & \text{if } a' = 0, b' \neq 0, b'|a, \text{ and } b'|b \\ T_b^\sharp & \text{otherwise (not optimal)} \end{cases}$$

Abstract congruence operators (cont.)

Test operators:

$$\overleftarrow{\leq}^{\sharp}_b(a\mathbb{Z} + b) \stackrel{\text{def}}{=} \begin{cases} \perp_b^{\sharp} & \text{if } a = \infty, b > 0 \\ a\mathbb{Z} + b & \text{otherwise} \end{cases}$$

⋮

Note: better than the generic $\overleftarrow{\leq}^{\sharp}_b(\mathcal{X}_b^{\sharp}) \stackrel{\text{def}}{=} \mathcal{X}_b^{\sharp} \cap_b^{\sharp}] - \infty, 0]_b^{\sharp} = \mathcal{X}_b^{\sharp}$

Extrapolation operators:

- no infinite increasing chain \implies no need for ∇

- infinite decreasing chains $\implies \Delta$ needed

$$(a\mathbb{Z} + b) \Delta_b (a'\mathbb{Z} + b') \stackrel{\text{def}}{=} \begin{cases} a'\mathbb{Z} + b' & \text{if } a = 1 \\ a\mathbb{Z} + b & \text{otherwise} \end{cases}$$

Note: $\mathcal{X}^{\sharp} \Delta \mathcal{Y}^{\sharp} \stackrel{\text{def}}{=} \mathcal{X}^{\sharp}$ is always a narrowing.

Congruence analysis example

```
X:=0; Y:=2;  
while • X<40 do  
    X:=X+2;  
    if X<5 then Y:=Y+18 fi;  
    if X>8 then Y:=Y-30 fi  
done
```


We find, at •, the loop invariant

$$\begin{cases} X \in 2\mathbb{Z} \\ Y \in 6\mathbb{Z} + 2 \end{cases}$$

The rational congruence lattice

Now, we choose $\mathbb{I} = \mathbb{Q}$ and define:

$$\mathcal{B}^\# \stackrel{\text{def}}{=} \{(a\mathbb{Z} + b) \mid a \in \mathbb{Q}^+ \cup \{\infty\}, b \in \mathbb{Q}\} \cup \{\perp_b^\#\}$$



Introduced by Granger [Gran97].

The rational congruence lattice (cont.)

Concretization:

$$\gamma_b(\mathcal{X}_b^\#) \stackrel{\text{def}}{=} \begin{cases} \{ ak + b \mid k \in \mathbb{Z} \} & \text{if } \mathcal{X}_b^\# = (a\mathbb{Z} + b), 0 < a < \infty \\ \{ b \} & \text{if } \mathcal{X}_b^\# = (\infty\mathbb{Z} + b) \\ \mathbb{Q} & \text{if } \mathcal{X}_b^\# = (0\mathbb{Z} + b) \\ \emptyset & \text{if } \mathcal{X}_b^\# = \perp_b^\# \end{cases}$$

Definitions:

The standard definitions on \mathbb{Z} are extended as follows:

- $y/y' \stackrel{\text{def}}{\iff} y \text{ divides } y' (\exists k \in \mathbb{N}^*, y' = ky), y = 0, \text{ or } y' = \infty,$
- $\frac{a}{b} \wedge \frac{c}{d} = \frac{ad \wedge bc}{bd} \quad \text{where } a, b, c, d \in \mathbb{Z}^*,$
- $\frac{a}{b} \vee \frac{c}{d} = \frac{ad \vee bc}{bd} \quad \text{where } a, b, c, d \in \mathbb{Z}^*.$

$(\mathbb{Q}^+ \cup \{\infty\}, /, \vee, \wedge, 0, \infty)$ is a **complete distributive lattice**.

All operators are derived as those on \mathbb{Z} .

However, we require a widening \triangleright_b as well as a narrowing $\triangleleft_b \dots$

Bibliography

Bibliography

- [Anc010] **C. Ancourt, F. Coelho & F. Irigoin.** *A modular static analysis approach to affine loop invariants detection.* In Proc. NSAD'10, ENTCS, Elsevier, 2010.
- [Berd07] **J. Berdine, A. Chawdhary, B. Cook, D. Distefano & P. O'Hearn.** *Variance analyses from invariances analyses.* In Proc. POPL'07 211–224, ACM, 2007.
- [Blan03] **B. Blanchet, P. Cousot, R. Cousot, J. Feret, L. Mauborgne, A. Miné, D. Monniaux & X. Rival.** *A static analyzer for large safety-critical software.* In Proc. PLDI'03, 196–207, ACM, 2003.
- [Bour93a] **F. Bourdoncle.** *Efficient chaotic iteration strategies with widenings.* In Proc. FMPA'93, LNCS 735, 128–141, Springer, 1993.
- [Bour93b] **F. Bourdoncle.** *Assertion-based debugging of imperative programs by abstract interpretation.* In Proc. ESEC'93, 501–516, Springer, 1993.

Bibliography (cont.)

- [Cous76] **P. Cousot & R. Cousot.** *Static determination of dynamic properties of programs.* In Proc. ISP'76, Dunod, 1976.
- [Dor01] **N. Dor, M. Rodeh & M. Sagiv.** *Cleanness checking of string manipulations in C programs via integer analysis.* In Proc. SAS'01, LNCS 2126, 194–212, Springer, 2001.
- [Girb06] **S. Girbal, N. Vasilache, C. Bastoul, A. Cohen, D. Parello, M. Sigler & O. Temam.** *Semi-automatic composition of loop transformations for deep parallelism and memory hierarchies.* In J. of Parallel Prog., 34(3):261–317, 2006.
- [Gran89] **P. Granger.** *Static analysis of arithmetical congruences.* In JCM, 3(4–5):165–190, 1989.
- [Gran92] **P. Granger.** *Improving the results of static analyses of programs by local decreasing iterations.* In Proc. FSTTCSC'92, LNCS 652, 68–79, Springer, 1992.

Bibliography (cont.)

- [Gran97] **P. Granger.** *Static analyses of congruence properties on rational numbers.* In Proc. SAS'97, LNCS 1302, 278–292, Springer, 1997.
- [Jean09] **B. Jeannet & A. Miné.** *Apron: A library of numerical abstract domains for static analysis.* In Proc. CAV'09, LNCS 5643, 661–667, Springer, 2009, <http://apron.cri.ensmp.fr/library>.
- [Mine06] **A. Miné.** *Field-sensitive value analysis of embedded C programs with union types and pointer arithmetics.* In Proc. LCTES'06, 54–63, ACM, 2006.
- [Riva05] **X. Rival.** *Understanding the origin of alarms in Astrée.* In Proc. SAS'05, LNCS 3672, 303–319, Springer, 2005.
- [Vene02] **A. Venet.** *Nonuniform alias analysis of recursive data structures and arrays.* In Proc. SAS'02, LNCS 2477, 36–51, Springer, 2002.